SEIKO

WATCH CATALOGUE 2018-2019

1881 K. Hattori, predecessor of today's Seiko Holdings Corporation, established.

1892 Seikosha clock supply factory established; production of wall clocks begins.

Seikosha builds the first pocket watch.

1913 Production of Laurel, the first wristwatch made in Japan begins.

1953 SEIKO sponsors Japan's first TV commercial.

1959 SEIKO commercializes quartz clocks for broadcasting use.

1964 SEIKO develops the portable quartz chronometer and Seiko serves as Official Timer for the "Games of the XVIII Olympiad" held in Tokyo.

1968 SEIKO achieves the highest ever score in the Geneva competition and is awarded the "best mechanical wrist chronometer".

1969 Introduction of cal. 6139, the world's first automatic chronograph watch equipped with both vertical clutch and column wheel.
Introduction of the world's first quartz watch, "SEIKO Quartz Astron" cal. 3500.

1982 Introduction of the world's first TV watch cal. T001.

1988 Introduction of the world's first "Auto Quartz" watch cal. 7M42. (later renamed as "Kinetic").

1992 Introduction of 1/100th analogue quartz chronograph watch cal. 7T59.

1999 Introduction of the world's first Spring Drive watch cal. 7R68 (hand winding).

Introduction of the Ultimate Kinetic Chronograph cal. 9T82.

2005 Introduction of the Kinetic Perpetual cal. 7D48.

Introduction of the Spring Drive cal. 5R series (automatic winding).

2006 Introduction of the world's first watch with electrophoresis display module cal. G510.

Introduction of the Credor Spring Drive Sonnerie cal. 7R06. Suggested retail price: 15 million Japanese Yen.

2007 Introduction of the Kinetic Direct Drive cal. 5D44.

Introduction of the Spring Drive Chronograph cal. 5R86 equipped with both vertical clutch and column wheel.

2009 Introduction of the Chronograph Perpetual.

2010 World's first EPD watch with an active matrix system.

2011 SEIKO's 130th Anniversary

Served as Official Timer of the IAAF World Championships Daegu 2011.

2012 SEIKO introduces the world's first Solar Powered GPS watch that supports all internationally recognised timezones.

2013 100 years of SEIKO Wrist watches marked by a collection of Special Edition models.

2014 SEIKO introduces the world's first Solar GPS watch with a chronograph.

2015 Astron GPS Solar Dual Time with AM & PM indicator is introduced.

SEIKO celebrates 50 years of diver's watches.

2016 Astron GPS Solar World Time introduced.

2017 Introduction of Astron GPS Solar Big Date.

The SEIKO website is designed to provide customers, retailers and consumers with instant access to information about SEIKO. Log onto www.seikowatches.com and click the following links to find out all there is to know about the world's leading watch manufacturer.

Products – Learn more about the SEIKO Premium Collection or explore the entire SEIKO product range.

Support – Designed with retailers in mind, this section provides service information, instruction manuals you can download and 'frequently asked questions' to aid in trouble shooting, procedures for sending back repairs for prompt and efficient service.

About Us – Discover SEIKO's history from humble beginnings in 1881 and the rise that carried SEIKO to new heights and international renown. Learn about corporate structure, global networks and SEIKO's extensive involvement in sports timing.

SEIKO will continue to grow and evolve and so too will www.seikowatches.com, so keep checking for regular updates. Please send any comments you have to info@seiko.com.au, all feedback is welcome.

www.seikowatches.com

BELOW ARE THE ABBREVIATIONS AND SYMBOLS YOU WILL FIND IN THIS CATALOGUE

SSC607P $1150 — Reference number and price

SOLAR CHRONOGRAPH — Watch type

SSWR (10BAR) — Case material (refer to Abbreviations page)

SAPPHIRE GLASS — Glass type

M0FPB19J0 — Band reference

V192 — Calibre Number

ADVERTISED MODEL — Advertised model

Solar – Power reserve indicated in months

Kinetic – Power reserve indicated in months

New release model

Stainless steel case

Water resistance

Titanium

Ceramic

Zaratsu Polished

WATER RESISTANCE USAGE

	WR	50M	100M	150M	200M	200M DIVERS	1000M DIVERS
EVERYDAY LIFE (International Standard ISO 2281) Recommended Usage							
Splash Resistant	●	●	●	●	●	●	●
Rain Resistant	●	●	●	●	●	●	●
SWIMMING/WATERSPORTS (International Standard ISO 2281) Recommended Usage							
Water-related Work		●	●	●	●	●	●
Swimming		●	●	●	●	●	●
Watersports (Snorkelling, Surfing, etc)			●	●	●	●	●
DIVING (International Standard ISO 6425) Recommended Usage							
Scuba Diving						●	●
Saturation Diving							●

18KYG	18K yellow gold, 18KYG middle, and 18KYG back
AHC	All Hard Coat case and back
ALSGP	All Light SEIKO Gold Colour Plated case
ASG	All SEIKO Gold Plated case
ATI	All Titanium case
ATIHICDC	All TI case with super hard coating
BTIHC.MBTIHC	All high intensity titanium
CE	Ceramics
FRP	Fibre Reinforced Plastic
GPDP	Combined SGP and PDP middle with bezel and SS back
GPHC	Combined SGP and HC middle with bezel and SS back
HC	Hard Coating SS middle with bezel and SS back
HC.SSHC	HC bezel and middle with combined SS and HC back
HGC	Hard Gold Coating middle with bezel and SS back
LSGP	Light colour SGP
MHC	HC middle with SS bezel and back
MSSGP	SS bezel, combined SS and SGP middle and SS back
MSSPCD	SS bezel combined SS and plastic middle with SS back
MSS.HC	SS middle with HC bezel and back
PDP	Palladium plated middle with bezel and SS back
SGP	SEIKO Gold Colour Plate and Stainless Steel back
SS	Stainless Steel case
SSGP	Combined SS and SGP middle with bezel and SS back
SSHC	Combined SS and HC middle with bezel and SS back
TCE.GP	CE bezel, SGP middle, and SGP back
TCE.HICDC	Ceramic bezel, super hard coating SS middle and back
TCE.HICDCG	Ceramic bezel, super hard coating middle, SGP, SS back
TCE.HICDN	Ceramic bezel, SS with super black hard coating, SS back
TCE.MTIHICDC	CE bezel, TI with super hard coating middle, and TI with super hard coating back
TCE.TIHC	CE bezel, TIHC middle and TIHC back
TCE.TIHICDC	Ceramic bezel, TI with super hard coating middle and back
TCE.TIHICDN	Ceramic bezel, TI with super black hard coating middle and back
TGPCE.MGP	Combined SGP and Ceramic bezel, SGP middle and SS back
TGPDP	Combined SGP and PDP bezel, SS middle and SS back
TGP.MGPHC	SGP bezel, SGP and HC middle and SS back
TGP.MSSGP	SGP bezel, combined SS and SGP middle and SS back
TGP.TIHCCE	SGP bezel, combined TI, HC, and CE middle (No case back as it's a one piece case model)
TGPTI.TI	Combined TI and SGP bezel, TI middle and TI back
THC	HC bezel, SS middle and SS back
THC.BTI	HC bezel, BTI (Bright Titanium) middle and BTI back
THC.MHCPCDP	HC bezel, combined HC and plastic middle with SS back
THC.MSSCE	HC bezel, combined SS and CE middle, and SS back
THC.TIHCCE	CE Outer Case, TI HC Inner Case
THGMCETIHG	HGC bezel, combined Ceramics, TI and HGC middle and combined Ceramics, TI and HGC back
TI	Titanium
TPDP	PDP bezel, SS middle and SS back
TSGP	Combined SS and SGP case and SS back
TSSCE	Combined SS and Ceramic bezel , SS middle and SS back
TSSGP	Combined SS and SGP bezel, SS middle and SS back
TSSGP.GP	SSGP bezel, SGP middle, and SGP back
TSSHC	Combined SS and HC bezel, SS middle and SS back
TSSHC.HICDC	SSHC bezel, SS with super hard coating, and SS with super hard coating back
TTIHC.MTIHICDC.TI	Ti & HC bezel, Ti & HC middle, Ti Back
TTIHC.TI	Combined TI and HC bezel, TI middle and TI back
WR	Water Resistant
XL	Lumibrite hands and hour markers

The man who lived 31 days under water

Fabien Cousteau, Ocean Explorer

"We have explored less than 5% of our ocean world," Fabien tells us. "As we push further, longer and deeper, we can learn a lot more." For the adventurous, discovery has no boundaries.

SEIKO

SINCE 1881

seikowatches.com

The clearest water on Earth

The Silfra fissure, Iceland

Between two tectonic plates lies Silfra, a deep fissure percolating with clear groundwater. Dive here and you will discover underwater visibility unlike anywhere on Earth.

SEIKO

SINCE 1881

seikowatches.com

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 50 hours power reserve. Accuracy +25/-15 seconds a day average. Hour, minute, second hand. Calendar.

Case Size
43mm

SPB051J $2300

AUTOMATIC, TSS.HICDCWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, M01X331H0, 6R15

Case Size
43mm

SPB053J $1750

AUTOMATIC, TSS.HICDCWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, R02C011J0, 6R15

ADVERTISED MODEL

Case Size
44mm

SPB077J $1850

AUTOMATIC, TSS.HICDCWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, M01X431H0, 6R15

Case Size
44mm

SPB079J $1400

AUTOMATIC, TSS.HICDCWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, R028011J0, 6R15

ZARATSU POLISHING

Zaratsu polishing is a hard finished technique used to create a distortion-free case surface that is mirror like in reflection.

PROSPEX SAVE THE OCEAN

The success of the Prospex collection has its origins in the ocean. In order to repay this debt of gratitude we will start a new project, Prospex Save the Ocean. Seiko is committed to preserving the marine environment. Accordingly, we will donate a portion of the proceeds of our Prospex Save the Ocean collection to the Fabien Cousteau Ocean Learning Centre, an institution created to make a direct and positive contribution to the health of the oceans.

For this project Prospex Save the Ocean special edition watches have been created based on the popular models of the Prospex collection. We have chosen the blue whale, a symbol of everything that is wonderful about our oceans, as the design motif.

FABIEN COUSTEAU OCEAN LEARNING CENTER

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Accuracy +45/-35 seconds per day average. Hour, minute and second hand. Calendar. Day of the week.

Case Size 43.8mm

Case Size 45mm

SRPC93K $925

AUTOMATIC, THCWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, **SPECIAL EDITION SAVE THE OCEANS**, SPECIAL BOX, M0FPA37J0, 4R35

SRPC91K $840

AUTOMATIC, THCWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, **SPECIAL EDITION SAVE THE OCEANS**, SPECIAL BOX, R02F011J0, 4R36

SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. Calendar. 24-hour hand.

Case Size 43.5mm

SSC675P $799

SOLAR CHRONOGRAPH, THCWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, , SPECIAL BOX, M0ES327J0, V175

Since the launch of our first diver's watch in 1965, Seiko has brought to professional divers a stream of innovative new technologies and designs that have made diving safer and easier for the professional and recreational diver alike. Thanks to these advances and to the supreme quality of our diver's watches, Seiko has earned a high reputation of trust in the diving community.

By a strange coincidence, a few months after Seiko's first diver's watch appeared two American dive enthusiasts decided that standards of training in diving needed to be raised and founded the Professional Association of Diving Instructors. Over the past fifty years, PADI™ has become the world's most trusted scuba diving training organization. With over 6,300 Dive Centres and more than 136,000 qualified PADI professional instructors around the world, PADI has issued an amazing 24 million certifications and has done more than any other organization to introduce diving to the world.

Seiko and PADI share a passion for ensuring the safety and enjoyment of divers and for protection of the marine environment, so a partnership felt very right.

To celebrate and promote this partnership we introduce the Prospex PADI Special Edition.

All Seiko P.A.D.I. Special Edition watches are presented in this special box

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. 6R Accuracy +25/-15 seconds per day average. 4R Accuracy +45/-35 seconds per day average. Hour, minute and second hand. Calendar. Day of the week.

Case Size 42.6mm

SPB071J $1900

AUTOMATIC, THCHICDCWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, **SPECIAL EDITION P.A.D.I.**, R02C012J0, 6R15

Case Size 43.8mm

SRPB99K $899

AUTOMATIC, SSWR, (20 BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, **SPECIAL EDITION P.A.D.I.** SPECIAL BOX, M0FPA37J0, 4R35

Case Size 45mm

SRPA21K $799

AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, **SPECIAL EDITION P.A.D.I.** SPECIAL BOX, M0EV631J0, 4R36

KINETIC G.M.T.

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand and 24 hour hand that can be set to a second time zone independently. Calendar.

Case Size
47.5mm

6

4 954628 205742

SUN065P $1150

KINETIC G.M.T, MSSHCWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS,
SPECIAL EDITION P.A.D.I. SPECIAL BOX, R01Y011J0, 5M85

SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

Case Size
43.5mm

10

4 954628 210722

SNE435P $699

SOLAR ANALOGUE, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS,
ONE WAY ROTATING BEZEL, SCREW DOWN CROWN,
SPECIAL EDITION P.A.D.I. SPECIAL BOX, M0FP93CJ0, V157

Case Size
46.7mm

10

4 954628 225191

SNE499P $750

SOLAR ANALOGUE, MSSPCDWR, (20BAR), DIVER'S, XL,
HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL,
SPECIAL EDITION P.A.D.I. SPECIAL BOX, R038011J0, V157

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Accuracy +45/-35 seconds per day average. Hour, minute and second hand. Calendar. Day of the week (model dependent).

Case Size 51.7mm

SRPA82K $1250

AUTOMATIC, THC.MPGCEWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN,
R02Y011K0, 4R36

Case Size 46.4mm

SRP639K $925

AUTOMATIC, THCWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN,
R002031J0, 4R36

Case Size 45mm

SRPC25K $840

AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL,
M0EV631J0, 4R36

Case Size 44.3mm

SRP777K $799

AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN,
R02F011J0, 4R36

Case Size 42.3mm

SRPC35K $860

AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL,
M021514J0, 4R35

Case Size 43.8mm

SRPB51K $860

AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL,
M0FPA37J0, 4R35

Case Size 43.8mm

SRPB49K $860

AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL,
M0FPA37J0, 4R35

Case Size 43.8mm

SRPB53K $775

AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL,
R02F011J0, 4R35

SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. Calendar. 24-hour hand.

Case Size
43.5mm

6

SSC618P $899

SOLAR CHRONOGRAPH, SGPWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN AND BUTTONS, ONE WAY ROTATING BEZEL, R035011P0, V175

SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

Case Size
43.5mm

10

SNE437P $699

SOLAR ANALOGUE, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, M0FP93CJ0, V157

Case Size
43.5mm

10

SNE439P $599

SOLAR ANALOGUE, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R035011J0, V157

Case Size
46.7mm

SNE497P $799

SOLAR ANALOGUE, MSSPCDWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, M0FPC37J0, V157

Case Size
46.7mm

SNE498P $775

SOLAR ANALOGUE, THC.MHCPCDWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, R038012K0, V157

SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve with power reserve indicator. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hands. Calendar.

Case Size
45mm

SSC607P $1150

SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS,
SPECIAL EDITION, SPECIAL BOX, M0FPB19J0, V192

Case Size
44.9mm

SSC664P $1100

SOLAR CHRONOGRAPH, TSGPWR, (10BAR), XL, SAPPHIRE GLASS,
SPECIAL EDITION, M0FP414J0, V194

Case Size
44.9mm

SSC603P $1100

SOLAR CHRONOGRAPH, THCWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, M0FP418J0, V194

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Accuracy +/- 25 seconds per day average. Hour, minute and second hand. Calendar.

Case Size
42mm

SRPC33K $699

AUTOMATIC, HCWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, L0DG016N0, 4R35

Case Size
42mm

SRPC31K $699

AUTOMATIC, HCWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, L0DG015N0, 4R35

FINE MECHANICAL WATCHMAKING, FROM JAPAN.

PRESAGE

TRIMATIC

Trimatic symbolises three Seiko inventions that ensure the highest levels of reliability and durability in its mechanical watches.

SEIKO

SINCE 1881

seikowatches.com

AUTOMATIC CHRONOGRAPH

Powered by the movement of the wearer or by winding the crown. Stopwatch measures 12 hours in 1/5th of a second increments. Approximately 45 hours power reserve. Accuracy +25/-15 seconds a day. Hour, minute, second hand. Calendar.

Case Size
42mm

SRQ023J $4850

AUTOMATIC CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASE BACK, ENAMEL DIAL, **SPECIAL EDITION**, SPECIAL BOX, L0H7011J9, 8R48

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 45 hours power reserve with power reserve indicator. Accuracy +25/-15 seconds per day. Hour, minute, second hand. Calendar.

Case Size
40.5mm

SPB045J $2500

AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASE BACK, ENAMEL DIAL, **SPECIAL EDITION**, SPECIAL BOX, L0H7011J9, 6R27

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 50 hours power reserve. Accuracy +25/-15 seconds a day average. Hour, minute, second hand. Calendar.

Case Size
40.5mm

SPB047J $2050

AUTOMTIC, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASE BACK, ENAMEL DIAL, **SPECIAL EDITION**, SPECIAL BOX, L0H7011J9, 6R15

Case Size
35.9mm

SPB049J $2500

AUTOMATIC, SSWR, (5BAR), SAPPHIRE GLASS, EXHIBITION CASE BACK, ENAMEL DIAL, **SPECIAL EDITION**, SPECIAL BOX, L0H7011J9, 6R15

AUTOMATIC CHRONOGRAPH

Powered by the movement of the wearer or by winding the crown. Stopwatch measures 12 hours in 1/5th of a second increments. Approximately 45 hours power reserve. Accuracy +25/-15 seconds a day. Hour, minute, second hand. Calendar.

Case Size
42mm

SRQ025J $3900

AUTOMATIC CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASEBACK, SPECIAL EDITION, SPECIAL BOX, L0E5026J9, 8R48

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. 6R Accuracy +25/-15 seconds per day average. 4R Accuracy +45/-35 seconds per day average.

Case Size
40.5mm

SPB059J $1750

AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASEBACK, L0E5028J9, 6R27

Case Size
40.5mm

SPB067J $1450

AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASEBACK, L0E5028J9, 6R15

Case Size
42mm

SSA354J $1200

AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASEBACK, **SPECIAL EDITION**, SPECIAL BOX, M0VJ211R0, 4R57

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +45/-35 seconds per day average.

Case Size
41.8mm

SSA377J $1050

AUTOMATIC, SSWR, SAPPHIRE GLASS, EXHIBITION CASEBACK,
M153211J0, 4R39

Case Size
41.8mm

SSA379J $975

AUTOMATIC, SSWR, SAPPHIRE GLASS, EXHIBITION CASEBACK,
L0FR025J0, 4R39

Case Size
41.7mm

SRPC79J $950

AUTOMATIC, SSWR, SAPPHIRE GLASS, EXHIBITION CASEBACK,
M153211J0, 4R35

Case Size
41.7mm

SRPC81J $950

AUTOMATIC, SSWR, SAPPHIRE GLASS, EXHIBITION CASEBACK,
M153211J0, 4R35

Case Size
41.7mm

SRPC83J $925

AUTOMATIC, SSWR, SAPPHIRE GLASS, EXHIBITION CASEBACK,
L0FR025J0, 4R35

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +45/-35 seconds per day average.

Case Size
40.5mm

SSA346J $1250

AUTOMATIC, SGPWR, (5BAR), HARDLEX GLASS, EXHIBITION CASE BACK, **SPECIAL EDITION**, SPECIAL BOX, L0HE013P0, 4R57

ADVERTISED MODEL

Case Size
40.5mm

SSA343J $975

AUTOMATIC, SSWR, (5BAR), HARDLEX GLASS, EXHIBITION CASE BACK, L0HE011J0, 4R57

Case Size
40.5mm

SRPB41J $775

AUTOMATIC, SSWR, (5BAR), HARDLEX GLASS, EXHIBITION CASE BACK, M125211J0, 4R35

Case Size
40.5mm

SRPB46J $975

AUTOMATIC, SSWR, (5BAR), HARDLEX GLASS, EXHIBITION CASE BACK, L0HE013P0, 4R35

Case Size
40.5mm

SRPB43J $750

AUTOMATIC, SSWR, (5BAR), HARDLEX GLASS, EXHIBITION CASE BACK, L0HE011J0, 4R35

Case Size
33.8mm

SRP855J $799

AUTOMATIC, SSWR, (5BAR), HARDLEX GLASS, EXHIBITION CASEBACK, M152211J0, 4R35

Case Size
33.8mm

SRP853J $750

AUTOMATIC, SSWR, (5BAR), HARDLEX GLASS, EXHIBITION CASEBACK, M152211J0, 4R35

Case Size
33.8mm

SRP852J $925

AUTOMATIC, SGPWR, (5BAR), HARDLEX GLASS, EXHIBITION CASEBACK, L0JP011P0, 4R35

KINETIC PERPETUAL

Powered by the movement of the wearer. 4 year power storage. Kinetic Perpetual goes to sleep after 24 hours of inactivity to awake within 4 years and automatically relay to the correct time. Perpetual Calendar adjusts automatically until February 2100, including leap years and short months. 24-hour hand, month and leap year indicator. Hour, minute, second hand.

Case Size 42.9mm

SNP152P $1550

KINETIC PERPETUAL, TSSGPWR, (10BAR), SAPPHIRE GLASS, M124111C0, 7D56

Case Size 42.9mm

SNP153P $1500

KINETIC PERPETUAL, SSWR, (10BAR), SAPPHIRE GLASS, M124111J0, 7D56

Case Size 42.9mm

SNP139P $1500

KINETIC PERPETUAL, SSWR, (10BAR), SAPPHIRE GLASS, M124111J0, 7D56

Case Size 42.9mm

SNP146P $1750

KINETIC PERPETUAL, ASGPWR, (10BAR), SAPPHIRE GLASS, **NOVAK DJOKOVIC SPECIAL EDITION**, SPECIAL BOX, R037012P0, 7D56

Case Size 42.9mm

SNP150P $1750

KINETIC PERPETUAL, ASGPWR, (10BAR), SAPPHIRE GLASS, L0HC011P0, 7D56

Case Size 42.9mm

SNP149P-2 $1500

KINETIC PERPETUAL, SSWR, (10BAR), SAPPHIRE GLASS, L0HC011J0, 7D56

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +45/-35 seconds per day average.

Case Size
42.9mm

Case Size
42.9mm

SSA374J $1400

AUTOMATIC, ASGPWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASEBACK, LIMITED EDITION NOVAK DJOKOVIC 2,000 PIECES WORLDWIDE, SPECIAL BOX, R037012P0, 4R71

SSA375J $1250

AUTOMATIC, AHCWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASEBACK, LIMITED EDITION NOVAK DJOKOVIC 2,000 PIECES WORLDWIDE, SPECIAL BOX, R037013M0, 4R71

Case Size
42.9mm

Case Size
42.9mm

Case Size
42.9mm

SSA369J $1100

AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASEBACK., M124111J0, 4R39

SSA371J $1100

AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASEBACK., M124111J0, 4R39

SSA373J $1100

AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASEBACK., L0HC011J0, 4R39

SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

Case Size
42.9mm

10

SNE455P $725

SOLAR ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,
M124111J0, V157

Case Size
42.9mm

10

SNE453P $725

SOLAR ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,
M124111J0, V157
MATCHING MODEL No. SUT321P

SOLAR ANALOGUE

Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar and day of the week.

Case Size
31.5mm

6

SUT322P $840

SOLAR ANALOGUE, SSWR, SAPPHIRE GLASS,
M129111R0, V137

Case Size
31.5mm

6

SUT346P $799

SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS,
M129111C0, V137

Case Size
31.5mm

6

SUT321P $725

SOLAR ANALOGUE, SSWR, SAPPHIRE GLASS,
M129111J0, V137
MATCHING MODEL No. SNE453P

ALARM CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hour alarm. Dual time capability. Hour, minute, second hand. Calendar.

Case Size 41.2mm

SNAF80P $1050 100M SS

ALARM CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS,
M0Z5111C0, 7T62

Case Size 41.2mm

SNAF82P $950 100M SS

ALARM CHRONOGRAPH, ASGPWR, (10BAR), SAPPHIRE GLASS,
L0G0012P0, 7T62

ANALOGUE

Hour, minute hand. Calendar.

Case Size 40.7mm

SKP400P $799 WR SS

ANALOGUE, SSWR, SAPPHIRE GLASS,
M0Z5111C0, 7N39
MATCHING MODEL No. SXB438P

ANALOGUE

Hour, minute hand. Calendar (model dependent).

Case Size 40.7mm

SKP391P $750 WR SS

ANALOGUE, SSWR, SAPPHIRE GLASS,
M0Z5111J0, 7N39

Case Size 40.7mm

SKP399P $750 WR SS

ANALOGUE, SSWR, SAPPHIRE GLASS,
M0Z5111J0, 7N39

Case Size 40.7mm

SKP398P $750 WR SS

ANALOGUE, ASGPWR, SAPPHIRE GLASS,
L0G0012P0, 7N39
MATCHING MODEL No. SXB436P

Case Size 30.5mm

SXB438P $799 WR SS

ANALOGUE, SSWR, SAPPHIRE GLASS,
M0Z6111J0, 7N89
MATCHING MODEL No. SKP400P

Case Size 30.5mm

SXB436P $750 WR SS

ANALOGUE, ASGPWR, SAPPHIRE GLASS,
L0G1012P0, 7N89
MATCHING MODEL No. SKP398P

Case Size 24.5mm

SWR025P $699 WR SS

ANALOGUE, SSWR, SAPPHIRE GLASS,
M130111J0, 4N30

PERFORM IN STYLE

COUTURA

SEIKO

SINCE 1881

seikowatches.com

SOLAR PERPETUAL CHRONOGRAPH

Powered by all light sources. 6 month power storage with power reserve indicator. Stopwatch measures 24 hours in 1/5th of a second increments with split time facility. 24-hour alarm. Dual Time capability. Hour, minute, second hand, perpetual calendar that automatically adjusts for short months and leap years until February 2100.

Case Size 44mm

SSC573P $975

SOLAR PERPETUAL CHRONOGRAPH, TGPHC.MHCWR, (10BAR), XL, SAPPHIRE GLASS, 11 DIAMONDS, M0XS111N0, V198

Case Size 44mm

SSC572P $975

SOLAR PERPETUAL CHRONOGRAPH, TGPHC.MGPWR, (10BAR), XL, SAPPHIRE GLASS, 11 DIAMONDS, M0XS111K0, V198

Case Size 44mm

SSC561P-9 $975

SOLAR PERPETUAL CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS, 11 DIAMONDS, M0XS111J9, V198

ADVERTISED MODEL

Case Size 44mm

SSC698P $860

SOLAR PERPETUAL CHRONOGRAPH, TGPHC.MHCWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, M0XS111N0, V198

Case Size 44mm

SSC394P $860

SOLAR PERPETUAL CHRONOGRAPH, SGPWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, M0XS111K0, V198

Case Size 44mm

SSC376P-9 $860

SOLAR PERPETUAL CHRONOGRAPH, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, M0XS111C9, V198

SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve with power reserve indicator. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hands. Calendar.

Case Size 45.5mm

SSC642P $840

SOLAR CHRONOGRAPH, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS, M133111C0, V194

Case Size 45.5mm

SSC628P-9 $799

SOLAR CHRONOGRAPH, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS, M133111J9, V194

Case Size 45.5mm

SSC641P-9 $750

SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS, M133111J9, V194

SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

SNE506P-9 $925

SOLAR ANALOGUE, TGPHC.MHCWR, (10BAR), SAPPHIRE GLASS, 15 DIAMONDS, CABOCHON CROWN, M0XS111N9, V157

SNE516P $699

SOLAR ANALOGUE, TGPHC.MHCWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, M0XS111N0, V157

SNE420P $660

SOLAR ANALOGUE, SGPWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, M0XS111K0, V157

SNE512P $599

SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, M0XS111J0, V157

SNE412P-9 $599

SOLAR ANALOGUE, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, M0XS111C9, V157

SNE514P $599

SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, M0XS111C9, V157

SNE511P $550

SOLAR ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, M0XS111J0, V157

SNE411P-9 $550

SOLAR ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, M0XS111J9, V157

PERFORM IN STYLE

COUTURA

SEIKO

SINCE 1881

seikowatches.com

SOLAR ANALOGUE

Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

Case Size
29mm

SUT310P-9 $725

SOLAR ANALOGUE, SGPWR, (10BAR), SAPPHIRE GLASS, MOTHER OF PEARL DIAL, 10 DIAMONDS, CABOCHON CROWN, M0XT111K9, V137

Case Size
29mm

SUT308P-9 $699

SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS, MOTHER OF PEARL DIAL, 10 DIAMONDS, CABOCHON CROWN, M0XT111C9, V137

ADVERTISED MODEL

Case Size
29mm

SUT378P $625

SOLAR ANALOGUE, TGPHC.MHCWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, M0XT117N0, V137

SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.

Case Size
41.5mm

SSC514P $1325

SOLAR ALARM CHRONOGRAPH, TGP.MHCWR, (10BAR),
SAPPHIRE GLASS, 22 DIAMONDS, CABOCHON CROWN,
M0TA112D0, V172

Case Size
41.5mm

SSC314P-9 $1200

SOLAR ALARM CHRONOGRAPH, SGPWR, (10BAR),
SAPPHIRE GLASS, 22 DIAMONDS, CABOCHON CROWN,
M0TA111K9, V172

Case Size
41.5mm

SSC218P $860

SOLAR ALARM CHRONOGRAPH, TGP.MHCWR, (10BAR),
SAPPHIRE GLASS, CABOCHON CROWN,
M0TA112D0, V172

Case Size
41.5mm

SSC644P $860

SOLAR ALARM CHRONOGRAPH, TPG.MHCWR, (10BAR),
SAPPHIRE GLASS, M0TA111N0, V172

Case Size
41.5mm

SSC196P-9 $799

SOLAR ALARM CHRONOGRAPH, SGPWR, (10BAR),
SAPPHIRE GLASS, CABOCHON CROWN,
M0TA111K9, V172

Case Size
41.5mm

SSC643P $725

SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS,
M0TA111J9, V172

Case Size
41.5mm

SSC396P $860

SOLAR ALARM CHRONOGRAPH, THC.MGPWR, (10BAR),
SAPPHIRE GLASS, CABOCHON CROWN,
L0AC014P0, V172

SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

Case Size 41.5mm

SNE406P $725

SOLAR ANALOGUE, TGP.MHCWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, M0TA112D0, V157

Case Size 41.5mm

SNE470P $775

SOLAR ANALOGUE, TGP.MHCWR, (10BAR), SAPPHIRE GLASS, M0TA111N0, V157

Case Size 41.5mm

SNE468P $699

SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS, M0TA111K0, V157

SOLAR ANALOGUE

Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar and day of the week.

Case Size 28mm

SUT244P-9 $660

SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS, 5 DIAMONDS, MOTHER OF PEARL DIAL, CABOCHON CROWN, M0W5112C9, V137

Case Size 28mm

SUT344P $699

SOLAR ANALOGUE, TGP.MHCWR, (10BAR), SAPPHIRE GLASS, M0W5112N0, V137

Case Size 28mm

SUT342P $625

SOLAR ANALOGUE, SGPWR, (10BAR), SAPPHIRE GLASS, MOTHER OF PEARL DIAL, M0W5112K0, V137

SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.

Case Size
42.8mm

SSC139P-9 $860

SOLAR ALARM CHRONOGRAPH, SSHCWR, (10BAR), XL, HARDLEX GLASS, M0SA112E9, V172

Case Size
42.8mm

SSC138P-9 $799

SOLAR ALARM CHRONOGRAPH, SSGPWR, (10BAR), XL, HARDLEX GLASS, M0SA111C9, V172

Case Size
42.5mm

SSC143P-9 $799

SOLAR ALARM CHRONOGRAPH, SSHCWR, (10BAR), XL, HARDLEX GLASS, M0C0225E9, V172

Case Size
42.5mm

SSC147P $725

SOLAR ALARM CHRONOGRAPH, THCWR, (10BAR), XL, HARDLEX GLASS, M0C0224J0, V172

CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. 24 hour hand. Calendar.

SSB323P $625

CHRONOGRAPH, SSHCWR, (10BAR), XL, HARDLEX GLASS,
M0KWV23J0, 8T67

SSB321P $575

CHRONOGRAPH, SSHCWR, (10BAR), XL, HARDLEX GLASS,
M0KWV23J0, 8T67

SSB319P $525

CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,
M0KWV23J0, 8T67

SSB325P $499

CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,
R027011J0, 8T67

SSB313P $525

CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,
M0K873BJ0, 8T67

SSB315P $550

CHRONOGRAPH, HCWR, (10BAR), XL, HARDLEX GLASS,
L0JR011N0, 8T67

SSB301P $575

CHRONOGRAPH, SSHCWR, (10BAR), XL, HARDLEX GLASS,
M148221J0, 8T63

SSB299P $525

CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,
M148221J0, 8T63

SSB297P $525

CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,
M148221J0, 8T63

CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. 24 hour hand. Calendar.

Case Size
45mm

SSB241P $525

CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,
M0HC221J0, 8T63

Case Size
42.2mm

SSB291P $575

CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS,
L01K01BJ0, 8T63

SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar. Day of the week (model dependant).

Case Size
43mm

SNE485P-9 $575

SOLAR ANALOGUE, THCWR, (10BAR), XL, HARDLEX GLASS,
M0HBF48C9, V157

Case Size
43mm

SNE483P-9 $499

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0HBF48J9, V157

Case Size
42.5mm

SNE471P $460

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0CR227J0, V158

Case Size
42.5mm

SNE473P $460

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
L0HF014J0, V158

Case Size
42.5mm

SNE477P $499

SOLAR ANALOGUE, HCWR, (10BAR), XL, HARDLEX GLASS,
L0HF013N0, V158

Case Size
43.1mm

SNE393P $499

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0E6428J0, V158

Case Size
43.1mm

SNE391P $499

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0E6428J0, V158

SOLAR ANALOGUE

Powered by all light sources. Instant start and low energy warning function. 10 month power reserve. Hour, minute, second hand. Calendar. Day of the week (model dependant).

Case Size 39.6mm

SNE502P $499

SOLAR ANALOGUE, SSGPWR, (10BAR), XL, HARDLEX GLASS, M0C1111C0, V158

Case Size 39.6mm

SNE098P-9 $499

SOLAR ANALOGUE, SSGPWR, (10BAR), XL, HARDLEX GLASS, 35C4XZ, V158

Case Size 39.6mm

SNE094P $499

SOLAR ANALOGUE, SSGPWR, (10BAR), XL, HARDLEX GLASS, M0C1111C0, V158

Case Size 39.6mm

SNE095P $399

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS, 35C4JZ, V158

Case Size 39.6mm

SNE501P $399

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS, 34C4JZ, V158

Case Size 39.6mm

SNE503P $399

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS, 34C4JZ, V158

Case Size 39.6mm

SNE095P-2 $399

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS, L00Y011J0, V158

SOLAR ANALOGUE

Powered by all light sources. Instant start and low energy warning function. 10 month power reserve. Hour, minute, second hand. Calendar. Day of the week (model dependant).

SNE504P $575

SOLAR ANALOGUE, SGPWR, (10BAR), HARDLEX GLASS,
M0PY111K0, V157

SNE368P-9 $525

SOLAR ANALOGUE, SGPWR, (10BAR), XL, HARDLEX GLASS,
M0JA331K9, V158

SNE291P $499

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0SJ111J0, V157

SNE489P-9 $499

SOLAR ANALOGUE, SSWR, (10BAR), HARDLEX GLASS,
M0DN431J9, V157

SNE491P-9 $460

SOLAR ANALOGUE, SSWR, (10BAR), HARDLEX GLASS,
L0GP012J9, V157

SNE508P-9 $740

SOLAR ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, M168111C9, V157
MATCHING MODEL No. SUP394P-9

SOLAR ANALOGUE

Powered by all light sources. 12 month power reserve. Instant start and low energy warning functions. Hour and minute hand.

SUP860P $399

SOLAR ANALOGUE, SGPWR, HARDLEX GLASS,
L011029K0, V115
MATCHING MODEL No. SUP370P

SUP880P-9 $350

SOLAR ANALOGUE, SGPWR, HARDLEX GLASS, CABOCHON CROWN,
L0CZ011K9, V115

ANALOGUE

Hour, minute, second hand. Calendar.

Case Size
40.8mm

SUR269P $460

ANALOGUE, SSWR, (10BAR), HARDLEX GLASS,
M0K883BJ0, 6N76

Case Size
40.8mm

SUR271P $499

ANALOGUE, HCWR, (10BAR), HARDLEX GLASS,
L0JR011N0, 6N76

ANALOGUE

Hour, minute, second hand. Calendar. Day of week (model dependant).

Case Size 40mm

SGEH72P $525

ANALOGUE, SGPWR, (10BAR), SAPPHIRE GLASS, M0BN541K0, 7N42

Case Size 40mm

SGEH73P $425

ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS, M0BN511J0, 7N42

Case Size 40mm

SGEH78P $425

ANALOGUE, SGPWR, (10BAR), SAPPHIRE GLASS, 4LR2KE, 7N42

Case Size 40mm

SGEH77P $399

ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS, 4LR1JE, 7N42

Case Size 40mm

SGEH75P $399

ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS, 4LR1JE, 7N42

Case Size 36.7mm

SGGA62P $499

ANALOGUE, SGPWR, (10BAR), XL, SAPPHIRE GLASS, 33X9KZ, 7N43

Case Size 36.7mm

SGGA61P $460

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS, 33X9LZ, 7N43

Case Size 36.7mm

SGG717P $425

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS, 33X9JZ, 7N43

ANALOGUE

Hour, minute, second hand. Calendar. Day of week (model dependant).

Case Size
40.9mm

SGEH70P $550

ANALOGUE, SGPWR, (10BAR), XL, SAPPHIRE GLASS,
M0E0821K0, 7N42
MATCHING MODEL No. SXDG92P

Case Size
41mm

SGEH39P $460

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
M0E0821J0, 7N42

Case Size
41mm

SGEH41P $460

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
M0E0821J0, 7N42

Case Size
40.9mm

SGEH68P $525

ANALOGUE, TSGPWR, (10BAR), XL, SAPPHIRE GLASS,
M0E0821C0, 7N42
MATCHING MODEL No. SXDG90P

Case Size
40.4mm

SGEH82P $525

ANALOGUE, SSGPWR, (10BAR), HARDLEX GLASS,
M0E0D3DC0, 7N42
MATCHING MODEL No. SXDG94P

Case Size
40.4mm

SGEH81P $425

ANALOGUE, SSWR, (10BAR), HARDLEX GLASS,
M0E0D3DJ0, 7N42

Case Size
40.4mm

SGEH79P $425

ANALOGUE, SSWR, (10BAR), HARDLEX GLASS,
M0E0D3DJ0, 7N42
MATCHING MODEL No. SXDG93P

Case Size
40.4mm

SGEH83P $399

ANALOGUE, SSWR, (10BAR), HARDLEX GLASS,
L01K01DJ0, 7N42
MATCHING MODEL No. SXDG95P

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +45/-35 seconds per day average. Hour, minute and second hand. Calendar. Day of the week.

Case Size
45.5mm

SRPC57K $625

AUTOMATIC, THCWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, M0KWS13J0, 4R36

Case Size
45.5mm

SRPC53K $575

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, M0KWS13J0, 4R36

Case Size
45.5mm

SRPC51K $575

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, M0KWS13J0, 4R36

Case Size
45.5mm

SRPC55K $575

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, M0KWS13J0, 4R36

Case Size
45.5mm

SRPC59K $550

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, 4K32JB, 4R36

AUTOMATIC

Powered by movement of the wearer. Approximately 36 hours power reserve. Accuracy +45/-35 seconds per day average. Hour, minute and second hand. Calendar. Day of the week.

Case Size
41.7mm

SNZG13K $499

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,
EXHIBITION CASE BACK, 300Z1JM,7S36

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +45/-35 seconds per day average. Hour, minute and second hand. Calendar. Day of the week.

case size 45mm

SRPC65K $699

AUTOMATIC, HCWR, (10BAR), XL, HARDLEX GLASS, EXHIBITION CASEBACK, M0KWR13N0, 4R36

case size 45mm

SRPC63K $625

AUTOMATIC, THCWR, (10BAR), XL, HARDLEX GLASS, EXHIBITION CASEBACK, M0KWR13J0, 4R36

case size 45mm

SRPC61K $575

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS, EXHIBITION CASEBACK, M0KWR13J0, 4R36

case size 45mm

SRPC67K $599

AUTOMATIC, HCWR, (10BAR), XL, HARDLEX GLASS, EXHIBITION CASEBACK, L082017N0, 4R36

case size 45mm

SRPC68K $575

AUTOMATIC, TSGPWR, (10BAR), XL, HARDLEX GLASS, EXHIBITION CASEBACK, L082016J0, 4R36

case size 42.9mm

SRPC85K $625

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS, EXHIBITION CASEBACK, M0KWT23J0, 4R35

case size 42.9mm

SRPC89K $660

AUTOMATIC, HCWR, (10BAR), XL, HARDLEX GLASS, EXHIBITION CASEBACK, L0JS012N0, 4R35

case size 42.9mm

SRPC87K $599

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS, EXHIBITION CASEBACK, L0JS011J0, 4R35

AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +45/-35 seconds per day average. Hour, minute and second hand. Calendar. Day of the week (model dependent).

Case Size
42mm

SRPC17K $625

AUTOMATIC, SSWR, (10BAR), HARDLEX GLASS,
EXHIBITION CASEBACK, M0WS411J9, 4R35

Case Size
42mm

SRPC21K $599

AUTOMATIC, SSWR, (10BAR), HARDLEX GLASS,
EXHIBITION CASEBACK, L07H01MJ0, 4R35

AUTOMATIC

Powered by movement of the wearer. Approximately 36 hours power reserve. Accuracy +45/-35 seconds per day average. Hour, minute and second hand. Calendar. Day of the week.

Case Size
40.4mm

SNZE32K $525

AUTOMATIC, SGPWR, (5BAR), XL, HARDLEX GLASS,
EXHIBITION CASE BACK, 3368KG, 7S36

Case Size
43.4mm

SNKM92K $375

AUTOMATIC, SSGPWR, (5BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, M0VD111Z0, 7S26

Case Size
43.4mm

SNKM87K $325

AUTOMATIC, SSWR, (5BAR), XL, HARDLEX GLASS,
EXHIBITION CASEBACK, M0VD111J0, 7S26

CHRONOGRAPH

Stopwatch measures 12 hours in 1/20th of a second increments with split time facility. Hour, minute, second hand. Calendar.

Case Size
35.6mm

SNDV42P $840

CHRONOGRAPH, SSGPWR, HARDLEX GLASS, 54 CRYSTALS, M0TB217C0, 7T92

Case Size
35.6mm

SNDV44P $799

CHRONOGRAPH, SSGPWR, HARDLEX GLASS, 54 CRYSTALS, M0TB217R0, 7T92

Case Size
35.6mm

SNDV39P $750

CHRONOGRAPH, SSWR, HARDLEX GLASS, 54 CRYSTALS, MOTHER OF PEARL DIAL, M0TB217J0, 7T92

Case Size
35.6mm

SNDV41P $725

CHRONOGRAPH, SSWR, HARDLEX GLASS, 54 CRYSTALS, M0TB217J0, 7T92

SOLAR ANALOGUE

Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

Case Size
28.5mm

SUT162P $525

SOLAR ANALOGUE, TSGPWR, (10BAR), XL, HARDLEX GLASS,
M0SZ411C0, V138

Case Size
29mm

SUT372P-9 $1150

SOLAR ANALOGUE, TSGPWR, (5BAR), HARDLEX GLASS,
28 DIAMONDS, MOTHER OF PEARL DIAL,
M167111C9, V137

Case Size
29mm

SUT371P-9 $1050

SOLAR ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,
28 DIAMONDS, MOTHER OF PEARL DIAL,
M167111J9, V137

Case Size
33mm

SUT340P-9 $925

SOLAR ANALOGUE, TGPCEWR, (5BAR), HARDLEX GLASS,
8 DIAMONDS, MOTHER OF PEARL DIAL, M0ER317R9, V137

Case Size
33mm

SUT338P-9 $860

SOLAR ANALOGUE, TGPCEWR, (5BAR), HARDLEX GLASS,
8 DIAMONDS, MOTHER OF PEARL DIAL, M0ER311C9, V137

SOLAR ANALOGUE

Calibre V115 – Powered by all light sources. 12 month power reserve. Instant start and low energy warning functions. Hour and minute hand.

Calibre V137 – Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

SUP398P-9 $860

SOLAR ANALOGUE, TSGPWR, (5BAR), HARDLEX GLASS, 12 DIAMONDS, MOTHER OF PEARL DIAL, CABOCHON CROWN, M0F6312C9, V115

SUP397P-9 $799

SOLAR ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, 12 DIAMONDS, MOTHER OF PEARL DIAL, CABOCHON CROWN, M0F6312J9, V115

SUP394P-9 $699

SOLAR ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M169111C9, V115
MATCHING MODEL No. SNE508P-9

SUT324P $699

SOLAR ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS, MOTHER OF PEARL DIAL, M0BW417C0, V137

SUT326P $699

SOLAR ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS, MOTHER OF PEARL DIAL, M0BW417J0, V137

SUT323P $575

SOLAR ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, M0BW417J0, V137

SUP384P $660

SOLAR ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, MOTHER OF PEARL DIAL, 10 CRYSTALS, M0VA111K0, V115

SUP382P $625

SOLAR ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS, MOTHER OF PEARL DIAL, 10 CRYSTALS, M0VA111J0, V115

SUP381P $599

SOLAR ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, MOTHER OF PEARL DIAL, 10 CRYSTALS, M0VA111J0, V115

SOLAR ANALOGUE

Calibre V115/V116 – Powered by all light sources. 12 month power reserve. Instant start and low energy warning functions. Hour and minute hand.

Calibre V137 – Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

Case Size 24mm

SUP406P-9 $975

SOLAR ANALOGUE, SGPWR, (WRBAR), HARDLEX GLASS, 28 DIAMONDS, M0F3411K9, V115

Case Size 24mm

SUP403P-9 $975

SOLAR ANALOGUE, SSWR, HARDLEX GLASS, 28 DIAMONDS, MOTHER OF PEARL DIAL, M0F3411C9, V115

Case Size 24mm

SUP399P-9 $899

SOLAR ANALOGUE, SSWR, HARDLEX GLASS, 28 DIAMONDS, MOTHER OF PEARL DIAL, M0F3411J9, V115

Case Size 16.5mm

SUP390P-9 $660

SOLAR ANALOGUE, SGPWR, HARDLEX GLASS, MOTHER OF PEARL DIAL, 36 CRYSTALS, M0AB322K9, V116

Case Size 16.5mm

SUP388P-9 $625

SOLAR ANALOGUE, TSGPWR, HARDLEX GLASS, MOTHER OF PEARL DIAL, 36 CRYSTALS, M0AB322J9, V116

Case Size 32.1mm

SUT330P $775

SOLAR ANALOGUE, SSGPWR, HARDLEX GLASS, 40 CRYSTALS, MOTHER OF PEARL DIAL, M0BW419K0, V137

Case Size 32.1mm

SUT328P $775

SOLAR ANALOGUE, SSGPWR, HARDLEX GLASS, 40 CRYSTALS, MOTHER OF PEARL DIAL, M0BW417C0, V137

Case Size 32.5mm

SUT154P $575

SOLAR ANALOGUE, SSGPWR, HARDLEX GLASS, CABOCHON CROWN, M0VA211C0, V137

SOLAR ANALOGUE

Calibre V137 – Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

Calibre V115 – Powered by all light sources. 12 month power reserve. Instant start and low energy warning functions. Hour and minute hand.

SUT350P-9 $599 WR SS

SOLAR ANALOGUE, SGPWR, HARDLEX GLASS,
M0G6211K9, V137

SUT349P-9 $625 WR SS

SOLAR ANALOGUE, SSWR, HARDLEX GLASS,
M0G6211R9, V137

SUT376P-9 $499 WR SS NEW

SOLAR ANALOGUE, SGPWR, HARDLEX GLASS,
L0F7014K9, V137

SUP370P $399 WR SS

SOLAR ANALOGUE, SGPWR, HARDLEX GLASS,
L0F7012K0, V115
MATCHING MODEL No. SUP860P

SUP304P $350 WR

SOLAR ANALOGUE, SGPWR, HARDLEX GLASS,
L0F7011K0, V115

ANALOGUE

Hour, minute, second hand. Calendar (model dependant).

Case Size
33.3mm

SKK888P $975

ANALOGUE, TSGPWR, (10BAR), SAPPHIRE GLASS, 7 DIAMONDS,
MOTHER OF PEARL DIAL, M128211R0, 7N32

Case Size
33.3mm

SKK885P $799

ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS, 7 DIAMONDS,
MOTHER OF PEARL DIAL, M128211J0, 7N32

Case Size
29.2mm

SXDG92P $550

ANALOGUE, SGPWR, (10BAR), XL, SAPPHIRE GLASS,
M0SZ511K0, 7N82
MATCHING MODEL No. SGEH70P

Case Size
29.2mm

SXDG90P $525

ANALOGUE, TSGPWR, (10BAR), XL, SAPPHIRE GLASS,
M0SZ511C0, 7N82
MATCHING MODEL No. SGEH68P

Case Size
28.7mm

SXDG94P $525

ANALOGUE, SSGPWR, (10BAR), HARDLEX GLASS,
M0SZ614C0, 7N82
MATCHING MODEL No. SGEH82P

Case Size
28.7mm

SXDG93P $425

ANALOGUE, SSWR, (10BAR), HARDLEX GLASS,
M0SZ614J0, 7N82
MATCHING MODEL No. SGEH79P

Case Size
28.7mm

SXDG95P $399

ANALOGUE, SSWR, (10BAR), HARDLEX GLASS,
L02J01AJ0, 7N82
MATCHING MODEL No. SGEH83P

ANALOGUE

Hour, minute and second hand.

Case Size 29.4mm

SRZ510P $725

ANALOGUE, TSGPWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M0T4512R0, 7N01

Case Size 29.4mm

SRZ512P $625

ANALOGUE, MSGPWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M0T4512K0, 7N01

Case Size 29.4mm

SRZ508P $625

ANALOGUE, TSGPWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M0T4512C0, 7N01

Case Size 29.4mm

SRZ507P $550

ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M0T4512J0, 7N01

Case Size 28.5mm

SRZ504P $699

ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, 12 CRYSTALS, CABOCHON CROWN, M151112K0, 7N01

Case Size 28.5mm

SRZ502P $660

ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS, 12 CRYSTALS, CABOCHON CROWN, M151112J0, 7N01

Case Size 28.5mm

SRZ506P $625

ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M151112C0, 7N01

Case Size 28.5mm

SRZ505P $525

ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M151112J0, 7N01

Case Size 27.5mm

SRZ402P $599

ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, 11 CRYSTALS, CABOCHON CROWN, M0T3112K0, 7N01

ANALOGUE

Hour, minute and second hand.

Case Size 28mm

SRZ498P $625

ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M0AD322K0, 7N01

Case Size 28mm

SRZ496P $599

ANALOGUE, TSGPWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M0AD322C0, 7N01

Case Size 28mm

SRZ495P $550

ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M0AD322J0, 7N01

Case Size 28mm

SRZ500P $550

ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, L05W022P0, 7N01

Case Size 30.1mm

SRZ492P $660

ANALOGUE, TSSGPWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M0R8312R0, 7N01

Case Size 30.1mm

SRZ494P $599

ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, CABOCHON CROWN, M0R8312K0, 7N01

Case Size 24.2mm

SRZ464P $460

ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, M0A1212K0, 7N01

Case Size 24.2mm

SRZ462P $425

ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS, M0A1212C0, 7N01

ANALOGUE

Hour, minute and second hand.

Case Size 26.5mm

SUR698P $575

ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, 11 CRYSTALS, M131112P0, 6N01

Case Size 26.5mm

SUR697P $460

ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, 11 CRYSTALS, M131112J0, 6N01

Case Size 26.5mm

SUR698P-2 $499

ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, 11 CRYSTALS, L0HJ012P0, 6N01

Case Size 26.5mm

SUR699P $425

ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, 11 CRYSTALS, L0HJ011J0, 6N01

Case Size 26.5mm

SUR672P $575

ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, M131112P0, 6N01

Case Size 26.5mm

SUR670P $525

ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, M131112K0, 6N01

Case Size 26.5mm

SUR669P $460

ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, M131112J0, 6N01

Case Size 26.5mm

SUR669P-2 $399

ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, L0HJ013J0, 6N01

ANALOGUE

Hour, minute and second hand.

Case Size 32mm

SRZ518P $725

ANALOGUE, SSGPWR, HARDLEX GLASS, 49 CRYSTALS, MOTHER OF PEARL DIAL, M0VA411K0, 7N01

Case Size 32mm

SRZ516P $699

ANALOGUE, SSGPWR, HARDLEX GLASS, 49 CRYSTALS, M0VA411C0, 7N01

Case Size 32mm

SRZ514P $699

ANALOGUE, SSGPWR, HARDLEX GLASS, 49 CRYSTALS, M0VA411R0, 7N01

Case Size 32mm

SRZ515P $575

ANALOGUE, SSWR, HARDLEX GLASS, 49 CRYSTALS, M0VA411J0, 7N01

STOPWATCHES

S23571J $1150
PC, HARDLEX GLASS,
BZA08N, S149

S23569J $725
PCWR, HARDLEX GLASS,
BZA02N, S143

S23535P $625
PC, HARDLEX GLASS,
BZA04N, S351

S23605P $399
APCWR (5BAR), ACRYLIC GLASS,
DFY6JB, S058

S23593J $625
APCWR (10BAR), HARDLEX GLASS,
BZA04N, S141

S23603P $350
APCWR, ACRYLIC GLASS,
DD83AD, S057

S23601P $299
APCWR, ACRYLIC GLASS,
DD83AD, S056

S23589J $150
PCWR, ACRYLIC GLASS,
4E22MB, W073

S23547J $125
PC, GRIPSWITCH FOR S23571J

FOR STOPWATCH MATRIX REFER TO PAGE 74.

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SGEH39P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0821J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SGEH41P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0821J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SGEH68P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0821C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SGEH70P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0821K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SGEH72P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0BN541K0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SGEH73P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0BN511J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SGEH75P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	4LR1JE	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SGEH77P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	4LR1JE	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SGEH78P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	4LR2KE	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SGEH79P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0D3DJ0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SGEH81P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0D3DJ0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SGEH82P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0D3DC0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SGEH83P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	L01K01DJ0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SGG717P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9JZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SGGA61P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9LZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SGGA62P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9KZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SKK885P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N32	Analogue	100 Metres	M128211J0	Sapphire	Pull-Out		Hour, Minutes, Seconds	Date	
SKK888P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N32	Analogue	100 Metres	M128211R0	Sapphire	Pull-Out		Hour, Minutes, Seconds	Date	
SKP391P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	5 Years	SR920SW	7N39	Analogue	Water Resistant	M0Z5111J0	Sapphire	Pull Out		Hour, Minutes	Date	
SKP398P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	5 Years	SR920SW	7N39	Analogue	Water Resistant	L0G0012P0	Sapphire	Pull Out		Hour, Minutes	Date	
SKP399P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	5 Years	SR920SW	7N39	Analogue	Water Resistant	M0Z5111J0	Sapphire	Pull Out		Hours, Minutes	Date	
SKP400P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	5 Years	SR920SW	7N39	Analogue	Water Resistant	M0Z5111C0	Sapphire	Pull Out		Hours, Minutes	Date	
SNAF80P	Premier	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0Z5111C0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SNAF82P	Premier	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	L0G0012P0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SNDV39P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	Water Resistant	M0TB217J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SNDV41P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	Water Resistant	M0TB217J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SNDV42P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	Water Resistant	M0TB217C0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SNDV44P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	Water Resistant	M0TB217R0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SNE094P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0C1111C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE095P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	35C4JZ	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE095P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	L00Y011J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE098P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	34C4XZ	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE291P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0SJ111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE368P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNE391P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0E6428J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Markers
SNE393P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0E6428J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Markers
SNE406P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SGEH39P															
SGEH41P															
SGEH68P															
SGEH70P															
SGEH72P															
SGEH73P															
SGEH75P															
SGEH77P															
SGEH78P															
SGEH79P															
SGEH81P															
SGEH82P															
SGEH83P															
SGG717P															
SGGA61P															
SGGA62P															
SKK885P	Diamonds	7													
SKK888P	Diamonds	7													
SKP391P															
SKP398P															
SKP399P															
SKP400P															
SNAF80P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAF82P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNDV39P	Crystals	54		Stopwatch Measures 12 Hours in 1/20th of a second increments with split time facility											
SNDV41P	Crystals	54		Stopwatch Measures 12 Hours in 1/20th of a second increments with split time facility											
SNDV42P	Crystals	54		Stopwatch Measures 12 Hours in 1/20th of a second increments with split time facility											
SNDV44P	Crystals	54		Stopwatch Measures 12 Hours in 1/20th of a second increments with split time facility											
SNE094P															
SNE095P															
SNE095P-2															
SNE098P-9															
SNE291P															
SNE368P-9															
SNE391P															
SNE393P															
SNE406P															

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SNE411P-9	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE412P-9	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE420P	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111K0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE435P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	M0FP93CJ0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers
SNE437P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	M0FP93CJ0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers
SNE439P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	R035011J0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers
SNE453P	Premier	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M124111J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SNE455P	Premier	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M124111J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SNE468P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA111K0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SNE470P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA111N0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SNE471P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0CR227J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	
SNE473P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	L0HF014J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	
SNE477P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	L0HF013N0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	
SNE483P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0HBF48J9	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SNE485P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0HBF48C9	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SNE489P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0DN431J9	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SNE491P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	L0GP012J9	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SNE497P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	M0FPC37J0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SNE498P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	R038012K0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SNE499P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	R038011J0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SNE501P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	34C4JZ	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SNE502P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0C1111C0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SNE503P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	34C4JZ	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SNE504P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0PY111K0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands
SNE506P-9	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111N9	Sapphire	Pull-Out		Hour, Minute, Seconds	Date	Hands
SNE508P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	50 Metres	M168111C9	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SNE511P	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111J0	Sapphire	Pull-Out		Hour, Minute, Seconds	Date	Hands
SNE512P	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111J0	Sapphire	Pull-Out		Hour, Minute, Seconds	Date	Hands
SNE514P	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111C9	Sapphire	Pull-Out		Hour, Minute, Seconds	Date	Hands
SNE516P	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111N0	Sapphire	Pull-Out		Hour, Minute, Seconds	Date	Hands
SNKM87K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	7S26	Analogue	100 Metres	M0VD111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNKM92K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	7S26	Analogue	100 Metres	M0VD111Z0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNP139P	Premier	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M124111J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	
SNP146P	Premier	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	R037012P0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SNE411P-9															
SNE412P-9															
SNE420P															
SNE435P															
SNE437P															
SNE439P															
SNE453P															
SNE455P															
SNE468P															
SNE470P															
SNE471P															
SNE473P															
SNE477P															
SNE483P-9															
SNE485P-9															
SNE489P-9															
SNE491P-9															
SNE497P						On Bezel									
SNE498P						On Bezel									
SNE499P						On Bezel									
SNE501P															
SNE502P															
SNE503P															
SNE504P															
SNE506P-9	Diamonds	15													
SNE508P-9															
SNE511P															
SNE512P															
SNE514P															
SNE516P															
SNKM87K															Yes
SNKM92K															Yes
SNP139P							Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNP146P							Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SNP149P-2	Premier	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	L0HC011J0	Sapphire	Pull-Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	
SNP150P	Premier	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	L0HC011P0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	
SNP152P	Premier	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M124111C0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	
SNP153P	Premier	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M124111J0	Sapphire	Pull-Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	
SNZE32K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	7S36	Analogue	50 Metres	3368KG	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNZG13K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	7S36	Analogue	100 Metres	300Z1JM	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SPB045J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	45 Hours Power Reserve	N/A	6R27	Analogue	100 Metres	L0H7011J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SPB047J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	100 Metres	L0H7011J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SPB049J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	50 Metres	L0H7011J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SPB051J	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	200 Metre Divers	M01X331H0	Sapphire	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SPB053J	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	200 Metre Divers	R02C011J0	Sapphire	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SPB059J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	45 Hours Power Reserve	N/A	6R27	Analogue	100 Metres	L0E5028J9	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SPB067J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	100 Metres	L0E5028J9	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SPB071J	Prospex Platinum	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	Diver's 200 Metres	R02C012J0	Sapphire	Screw Down	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SPB077J	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	Diver's 200 Metres	M01X431H0	Sapphire	Screw Down	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SPB079J	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	Diver's 200 Metres	R028011J0	Sapphire	Screw Down	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRP639K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R002031J0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Markers
SRP777K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R02F011J0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRP852J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	50 Metres	L0JP011P0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SRP853J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	50 Metres	M152211J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SRP855J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	50 Metres	M152211J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SRPA21K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	M0EV631J0	Hardlex	Screw-Down	One-Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPA82K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R02Y011K0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPB41J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	50 Metres	M125211J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SRPB43J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	50 Metres	L0HE011J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SRPB46J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	50 Metres	L0HE013P0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SRPB49K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	200 Metre Divers	M0FPA37J0	Hardlex	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPB51K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	200 Metre Divers	M0FPA37J0	Hardlex	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPB53K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	200 Metre Divers	R02F011J0	Hardlex	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPB99K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	Diver's 200 Metres	M0FPA37J0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPC17K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	M0WS411J9	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SRPC21K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L07H01MJ0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SNP149P-2							Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNP150P							Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNP152P							Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNP153P							Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNZE32K									Yes						Yes
SNZG13K															Yes
SPB045J													Yes	Yes	Yes
SPB047J													Yes		Yes
SPB049J													Yes		Yes
SPB051J															
SPB053J															
SPB059J													Yes	Yes	Yes
SPB067J													Yes		Yes
SPB071J						On Bezel							Yes		
SPB077J						On Bezel									
SPB079J						On Bezel									
SRP639K						On Bezel							Yes		
SRP777K													Yes		
SRP852J													Yes		Yes
SRP853J													Yes		Yes
SRP855J													Yes		Yes
SRPA21K						On Bezel							Yes		
SRPA82K													Yes		
SRPB41J													Yes		Yes
SRPB43J													Yes		Yes
SRPB46J													Yes		Yes
SRPB49K															
SRPB51K															
SRPB53K															
SRPB99K													Yes		
SRPC17K													Yes		Yes
SRPC21K													Yes		Yes

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SRPC25K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	M0EV631J0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC31K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L0DG015N0	Hardlex	Pull Out	Inner Ring	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPC33K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L0DG016N0	Hardlex	Pull Out	Inner Ring	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPC35K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	Diver's 200 Metres	M021514J0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPC51K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWS13J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC53K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWS13J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC55K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWS13J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC57K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWS13J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC59K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	4K32JB	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC61K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWR13J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC63K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWR13J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC65K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWR13N0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC67K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	L082017N0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC68K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	L082016J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC79J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	Water Resistant	M153211J0	Sapphire	Pull-Out		Hour, Minutes, Seconds	Date	
SRPC81J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	Water Resistant	M153211J0	Sapphire	Pull-Out		Hour, Minutes, Seconds	Date	
SRPC83J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	Water Resistant	L0FR025J0	Sapphire	Pull-Out		Hour, Minutes, Seconds	Date	
SRPC85K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	M0KWT23J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPC87K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L0JS011J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPC89K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L0JS012N0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPC91K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R02F011J0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Hour Markers
SRPC93K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	Diver's 200 Metres	M0FPA37J0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRQ023J	Presage	Automatic - Powered By The Movement Of The Wearer	Chronograph	45 Hours Power Reserve	N/A	8R48	Analogue	100 Metres	L0H7011J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SRQ025J	Presage Platinum	Automatic - Powered By The Movement Of The Wearer	Chronograph	45 Hours Power Reserve	N/A	8R48	Analogue	100 Metres	L0E5026J9	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SRZ402P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T3112K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ462P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0A1212C0	Hardlex	Pull Out		Hour, Minute, Seconds		
SRZ464P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0A1212K0	Hardlex	Pull Out		Hour, Minute, Seconds		
SRZ492P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R8312R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ494P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R8312K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ495P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0AD322J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SRPC25K						On Bezel							Yes		
SRPC31K								Yes					Yes		Yes
SRPC33K								Yes					Yes		Yes
SRPC35K						On Bezel							Yes		
SRPC51K													Yes		Yes
SRPC53K													Yes		Yes
SRPC55K													Yes		Yes
SRPC57K													Yes		Yes
SRPC59K													Yes		Yes
SRPC61K													Yes		Yes
SRPC63K													Yes		Yes
SRPC65K													Yes		Yes
SRPC67K													Yes		Yes
SRPC68K													Yes		Yes
SRPC79J													Yes		Yes
SRPC81J													Yes		Yes
SRPC83J													Yes		Yes
SRPC85K													Yes		Yes
SRPC87K													Yes		Yes
SRPC89K													Yes		Yes
SRPC91K						On Bezel							Yes		
SRPC93K						On Bezel							Yes		
SRQ023J				Stopwatch measures 12 hours in 1/5th of a second increments									Yes		Yes
SRQ025J				Stopwatch measures 12 hours in 1/5th of a second increments									Yes		Yes
SRZ402P	Crystals	11													
SRZ462P															
SRZ464P															
SRZ492P															
SRZ494P															
SRZ495P															

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SRZ496P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0AD322C0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ498P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0AD322K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ500P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	L05W022P0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ502P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M151112J0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds		
SRZ504P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M151112K0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds		
SRZ505P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M151112J0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds		
SRZ506P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M151112C0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds		
SRZ507P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T4512J0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds		
SRZ508P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T4512C0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds		
SRZ510P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T4512R0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds		
SRZ512P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T4512K0	Hardlex	Cabochon - Pull Out		Hour, Minutes, Seconds		
SRZ514P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0VA411R0	Hardlex	Pull-Out		Hour, Minutes, Seconds		
SRZ515P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0VA411J0	Hardlex	Pull-Out		Hour, Minutes, Seconds		
SRZ516P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0VA411C0	Hardlex	Pull-Out		Hour, Minutes, Seconds		
SRZ518P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0VA411K0	Hardlex	Pull-Out		Hour, Minutes, Seconds		
SSA343J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R57	Analogue	50 Metres	L0HE011J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SSA346J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R57	Analogue	50 Metres	L0HE013P0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SSA354J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R57	Analogue	100 Metres	M0VJ211R0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SSA369J	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R39	Analogue	100 Metres	M124111J0	Sapphire	Pull-Out		Hour, Minute, Seconds, 24-Hour		
SSA371J	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R39	Analogue	100 Metres	M124111J0	Sapphire	Pull-Out		Hour, Minute, Seconds, 24-Hour		
SSA373J	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R39	Analogue	100 Metres	L0HC011J0	Sapphire	Pull-Out		Hour, Minute, Seconds, 24-Hour		
SSA374J	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R71	Analogue	100 Metres	R037012P0	Sapphire	Pull-Out		Hour, Minutes, Seconds		
SSA375J	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R71	Analogue	100 Metres	R037013M0	Sapphire	Pull-Out		Hour, Minutes, Seconds		
SSA377J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R39	Analogue	Water Resistant	M153211J0	Sapphire	Pull-Out		Hour, Minute, Seconds, 24-Hour		
SSA379J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R39	Analogue	Water Resistant	L0FR025J0	Sapphire	Pull-Out		Hour, Minute, Seconds, 24-Hour		
SSB241P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T63	Analogue	100 Metres	M0HC221J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSB291P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T63	Analogue	100 Metres	L01K01BJ0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSB297P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T63	Analogue	100 Metres	M148221J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSB299P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T63	Analogue	100 Metres	M148221J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSB301P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T63	Analogue	100 Metres	M148221J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSB313P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T67	Analogue	100 Metres	M0K873BJ0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands
SSB315P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T67	Analogue	100 Metres	L0JR011N0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands
SSB319P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T67	Analogue	100 Metres	M0KWV23J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands & Hour Markers

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SRZ496P															
SRZ498P															
SRZ500P															
SRZ502P	Crystals	12													
SRZ504P	Crystals	12													
SRZ505P															
SRZ506P															
SRZ507P															
SRZ508P															
SRZ510P															
SRZ512P															
SRZ514P	Crystals	49													
SRZ515P	Crystals	49													
SRZ516P	Crystals	49													
SRZ518P	Crystals	49													
SSA343J													Yes	Yes	Yes
SSA346J													Yes	Yes	Yes
SSA354J													Yes	Yes	Yes
SSA369J													Yes		Yes
SSA371J													Yes		Yes
SSA373J													Yes		Yes
SSA374J													Yes		Yes
SSA375J													Yes		Yes
SSA377J													Yes		Yes
SSA379J													Yes		Yes
SSB241P				Stopwatch measures 60 minutes in 1/5th of a second with split time capability											
SSB291P				Stopwatch measures 60 minutes in 1/5th of a second with split time capability											
SSB297P				Stopwatch measures 60 minutes in 1/5th of a second with split time capability											
SSB299P				Stopwatch measures 60 minutes in 1/5th of a second with split time capability											
SSB301P				Stopwatch measures 60 minutes in 1/5th of a second with split time capability											
SSB313P				Stopwatch measures 12 Hours in 1/5th of a second with split time capability											
SSB315P				Stopwatch measures 12 Hours in 1/5th of a second with split time capability											
SSB319P				Stopwatch measures 12 Hours in 1/5th of a second with split time capability					Yes						

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SSB321P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T67	Analogue	100 Metres	M0KWV23J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands & Hour Markers
SSB323P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T67	Analogue	100 Metres	M0KWV23J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands & Hour Markers
SSB325P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T67	Analogue	100 Metres	R027011J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands & Hour Markers
SSC138P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0SA111C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSC139P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0SA112E9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSC143P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0225E9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSC147P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0224J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSC196P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111K9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SSC218P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SSC314P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111K9	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SSC376P-9	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC394P	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111K0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC396P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L0AC014P0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SSC514P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SSC561P-9	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC572P	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111K0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC573P	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111N0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC603P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V194	Analogue	100 Metres	M0FP418J0	Sapphire	Screw Down Crown		Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC607P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V192	Analogue	100 Metres	M0FPB19J0	Sapphire	Pull Out	Two Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC618P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	200 Metre Divers	R035011P0	Hardlex	Screw Down Crown	One Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC628P-9	Coutura	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V194	Analogue	100 Metres	M133111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC641P-9	Coutura	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V194	Analogue	100 Metres	M133111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC642P	Coutura	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V194	Analogue	100 Metres	M133111C0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC643P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111J9	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SSC644P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111N0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SSC664P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V194	Analogue	100 Metres	M0FP414J0	Sapphire	Screw Down Crown		Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC675P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	Diver's 200 Metres	M0ES327J0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC698P	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111N0	Sapphire	Pull-Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands
SUN065P	Prospex	Kinetic - Powered By The Movement Of the Wearer	Analogue - G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	Diver's 200 Metres	R01Y011J0	Sapphire	Screw-Down	One-Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers
SUP304P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L0F7011K0	Hardlex	Pull Out		Hour, Minutes		
SUP370P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L0F7012K0	Hardlex	Pull Out		Hours, Minutes		
SUP381P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	50 Metres	M0VA111J0	Hardlex	Pull Out		Hour, Minutes		
SUP382P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	50 Metres	M0VA111J0	Hardlex	Pull Out		Hour, Minutes		

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SSB321P				Stopwatch measures 12 Hours in 1/5th of a second with split time capability					Yes						
SSB323P				Stopwatch measures 12 Hours in 1/5th of a second with split time capability					Yes						
SSB325P				Stopwatch measures 12 Hours in 1/5th of a second with split time capability					Yes						
SSC138P-9			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC139P-9			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC143P-9			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC147P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC196P-9			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC218P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC314P-9	Diamonds	22	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC376P-9			1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100							Yes	
SSC394P			1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100							Yes	
SSC396P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC514P	Diamonds			Stopwatch measures 60 minutes in 1/5th of a second with split time capability	Yes - Alarm Dial can be set on second time-zone										
SSC561P-9	Diamonds	11	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SSC572P	Diamonds	11	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SSC573P	Diamonds	11	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SSC603P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time						Yes				Yes	
SSC607P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time							Yes			Yes	
SSC618P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC628P-9				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time										Yes	
SSC641P-9				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time										Yes	
SSC642P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time										Yes	
SSC643P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC644P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC664P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time						Yes				Yes	
SSC675P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time		On Bezel									
SSC698P			1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SUN065P					Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone	On Bezel								Yes	
SUP304P															
SUP370P															
SUP381P	Crystals	10													
SUP382P	Crystals	10													

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SUP384P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	50 Metres	M0VA111K0	Hardlex	Pull Out		Hour, Minutes		
SUP388P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V116	Analogue	Water Resistant	M0AB322J9	Hardlex	Cabochon - Pull Out		Hour, Minutes		
SUP390P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V116	Analogue	Water Resistant	M0AB322K9	Hardlex	Cabochon - Pull Out		Hour, Minutes		
SUP394P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	50 Metres	M169111C9	Hardlex	Pull-Out		Hour, Minutes		
SUP397P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	50 Metres	M0F6312J9	Hardlex	Pull-Out		Hour, Minutes		
SUP398P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	50 Metres	M0F6312C9	Hardlex	Pull-Out		Hour, Minutes		
SUP399P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0F3411J9	Hardlex	Pull-Out		Hour, Minutes		
SUP403P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0F3411C9	Hardlex	Pull-Out		Hour, Minutes		
SUP406P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0F3411K9	Hardlex	Pull-Out		Hour, Minutes		
SUP860P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L011029K0	Hardlex	Pull Out		Hours, Minutes		
SUP880P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L0CZ011K9	Hardlex	Cabochon - Pull Out		Hour, Minute		
SUR269P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N76	Analogue	100 Metres	M0K883BJ0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands
SUR271P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N76	Analogue	100 Metres	L0JR011N0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands
SUR669P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	M131112J0	Hardlex	Pull Out		Hour, Minutes, Seconds		
SUR669P-2	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	L0HJ013J0	Hardlex	Pull Out		Hour, Minutes, Seconds		
SUR670P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	M131112K0	Hardlex	Pull Out		Hour, Minutes, Seconds		
SUR672P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	M131112P0	Hardlex	Pull Out		Hour, Minutes, Seconds		
SUR697P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	M131112J0	Hardlex	Pull Out		Hour, Minute, Seconds		
SUR698P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	M131112P0	Hardlex	Pull Out		Hour, Minute, Seconds		
SUR698P-2	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	L0HJ012P0	Hardlex	Pull Out		Hour, Minute, Seconds		
SUR699P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	L0HJ011J0	Hardlex	Pull Out		Hour, Minute, Seconds		
SUT154P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0VA211C0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SUT162P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V138	Analogue	100 Metres	M0SZ411C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SUT244P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SUT308P-9	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0XT111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SUT310P-9	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0XT111K9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SUT321P	Premier	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M129111J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SUT322P	Premier	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M129111R0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SUT323P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0BW417J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT324P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0BW417C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT326P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0BW417J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT328P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0BW417C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT330P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0BW419K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT338P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0ER311C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands
SUT340P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0ER317R9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands
SUT342P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112K0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SUT344P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112N0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SUP384P	Crystals	10													
SUP388P-9	Crystals														
SUP390P-9	Crystals														
SUP394P-9															
SUP397P-9	Diamonds	12													
SUP398P-9	Diamonds	12													
SUP399P-9	Diamonds	28													
SUP403P-9	Diamonds	28													
SUP406P-9	Diamonds	28													
SUP860P															
SUP880P-9															
SUR269P															
SUR271P															
SUR669P															
SUR669P-2															
SUR670P															
SUR672P															
SUR697P	Crystals	11													
SUR698P	Crystals	11													
SUR698P-2	Crystals	11													
SUR699P	Crystals	11													
SUT154P															
SUT162P															
SUT244P-9	Diamonds	5													
SUT308P-9	Diamonds	10													
SUT310P-9	Diamonds	10													
SUT321P															
SUT322P															
SUT323P															
SUT324P															
SUT326P															
SUT328P	Crystals	40													
SUT330P	Crystals	40													
SUT338P-9	Diamond	8													
SUT340P-9	Diamond	8													
SUT342P															
SUT344P															

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SUT346P	Premier	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M129111C0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SUT349P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0G6211R9	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SUT350P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0G6211K9	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SUT371P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M167111J9	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands
SUT372P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M167111C9	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	Hands
SUT376P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	L0F7014K9	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SUT378P	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0XT117N0	Sapphire	Pull-Out		Hour, Minute, Seconds	Date	
SWR025P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR521SW	4N30	Analogue	Water Resistant	M130111J0	Sapphire	Pull Out		Hours, Minutes		
SXB436P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	2 Years	SR621SW	7N89	Analogue	Water Resistant	L0G1012P0	Sapphire	Pull Out		Hour, Minutes	Date	
SXB438P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	2 Years	SR621SW	7N89	Analogue	Water Resistant	M0Z6111J0	Sapphire	Pull Out		Hour, Minutes	Date	
SXDG90P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ511C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SXDG92P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ511K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SXDG93P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ614J0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SXDG94P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ614C0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	
SXDG95P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	100 Metres	L02J01AJ0	Hardlex	Pull-Out		Hour, Minutes, Seconds	Date	

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SUT346P															
SUT349P-9															
SUT350P-9															
SUT371P-9	Diamonds	28													
SUT372P-9	Diamonds	28													
SUT376P-9															
SUT378P															
SWR025P															
SXB436P															
SXB438P															
SXDG90P															
SXDG92P															
SXDG93P															
SXDG94P															
SXDG95P															

PRODUCT INFORMATION MATRIX – STOPWATCH

Model Number	Page	Case Material	Band/Neck Strap Ref No.	Glass Type	Water Resistance (Metres)	Calibre	Battery Type	Battery Life/Power Reserve (Approx)	Time/Calendar Function	Stopwatch Count	Lap
S23535P	57	PC	BZA04N	HARDLEX		S351	CR2032	3 YEARS	•	100 HOURS IN 1 SECOND INCREMENTS	999
S23547J	57	PC	N/A	N/A		N/A	N/A	N/A	N/A	N/A	N/A
S23569J	57	PC	BZA02N	HARDLEX	WR	S143	CR2431	4 YEARS	•	10 HOURS IN 1/100TH SECOND INCREMENTS	999
S23571J	57	PC	BZA08N	HARDLEX		S149	CR2430	3 YEARS	•	1 HOUR IN 1/100TH SECOND INCREMENTS	999
S23589J	57	PC	4E22MB	ACRYLIC	WR	W073	CR2025	2 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	99
S23593J	57	APC	BZA04N	HARDLEX	100	S141	CR2430	3 YEARS	•	10 HOURS IN 1/100TH SECOND INCREMENTS	300
S23601P	57	APC	DD83AD	ACRYLIC	50	S056	CR2032	3 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999
S23603P	57	APC	DD83AD	ACRYLIC	50	S057	CR2033	4 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999
S23605P	57	APC	DFY6JB	ACRYLIC	50	S058	CR2032	3 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999

Model Number	Split	Memory	Countdown Timer	Other Functions
S23535P	999		100 HOURS IN 1 SECOND INCREMENTS	TIME CALCULATION, SPECIALTY TIMER FUNCTIONS FOR AUDIO AND VIDEO PRODUCTION ENVIRONMENTS
S23547J	N/A	N/A	N/A	REMOTE GRIPSWITCH FOR S23571J
S23569J	999	300 LAP/SPLIT		PRINTER CONNECTIVITY, MEMORY CAPACITY INDICATOR
S23571J	999	300 LAP/SPLIT		BUILT IN PRINTER, MEMORY CAPACITY INDICATOR, AUTO START FUNCTION, GRIP SWITCH CONNECTABILITY
S23589J	99	10 LAP/SPLIT	N/A	
S23593J	300	100 LAP/SPLIT	N/A	STROKES PER MINUTE 9 PLACE MEMORY, MEMORY CAPACITY INDICATOR
S23601P	999	100 LAP/SPLIT	N/A	AUTOMATIC BATTERY SAVE SHUT OFF
S23603P	999	100 LAP/SPLIT	TWO-CHANNEL COUNTDOWN TIMERS IN DECIMAL SYSTEM WITH AUTO REPEAT FUNCTION ACCOMPANIED WITH DIFFERENT ALARM SOUND TONES EACH CHANNEL CAN BE SET FROM 10 SECONDS UP TO 99 HOURS 59 MINUTES AND 59 SECONDS THE NUMBER OF TIMES THAT THE TIMERS REPEAT THEIR COUNTDOWN CYCLES CAN BE SET FROM 1 TO 100 TIMES.	AUTOMATIC BATTERY SAVE SHUT OFF
S23605P	999	100 LAP/SPLIT	2 X EACH CHANNEL CAN BE SET FOR FROM 10 SECONDS UP TO 99 HOURS 59 MINUTES AND 59 SECONDS (DOUBLE REPEAT)	LIGHT, AUTOMATIC BATTERY SAVE SHUT OFF

Generating Electricity
The natural movement of your body is sensitively transformed into electrical energy.

Storing Electricity
A high performance long-life **rechargeable** battery stores the energy to power the watch.

Utilising Electricity
Advanced electronic circuitry ensures that the energy is converted with optimum efficiency into a quartz signal.

Circuit Block
Controls voltage and amperage. And by quartz oscillation, it produces a precise watch signal.



Oscillating Weight
Movement of the wearer rotates the oscillating weight.

Rotor
Transforms every movement of the oscillating weight into a magnetic charge.

Rechargeable Long-Life Battery
Stores the generated electrical energy.

SEIKO SOLAR

No Battery Change Required

Powered by all types of light

Solar cell with high performance electricity generation

Energy-efficient movement with long power reserve

SEIKO. Solar watch experts since 1977

TRIMATIC

Trimatic symbolises three Seiko inventions that ensure the highest levels of reliability and durability in its mechanical watches.



Diashock

A shock resistant system that was developed by Seiko in 1958, to preserve precision when the movement is subject to impact.
It protects the balance wheel, the component most likely to be damaged from shock and vibration. Even compared to other movement parts, the balance staff is extremely thin, being only between 0.07 to 0.08 mm in diameter, or about the same as a human hair.

Magic Lever

In 1959, Seiko invented the Magic Lever spring winding mechanism, which greatly increases the winding efficiency of a watch and shortens the time needed for the main spring to become fully wound.
This ingenious V-shaped lever allows all the energy generated by the oscillating weight's motion, whether clockwise or anti-clockwise, to be transferred to the mainspring. It is effective, simple and durable and contributes significantly to the longevity of the watch.

Spron

In 1964, Seiko started producing balance springs in-house, utilising its own specially developed alloy, Spron.
Utilised in all our mechanical watches, Spron mainspring and hair spring alloys are exclusive to Seiko watches. Spron features superior elasticity, strength, and corrosion and heat resistance.

AUTOMATIC ANALOGUE (4R36/4R38/4R39)

- Hour, Minute, Seconds (24 hour hand for 4R39)
- Calendar, Day Of the Week (4R36)
- Powered by movement or winding the crown

● 4R35



● 4R37



CROWN

a) Normal position : winding up the mainspring (manual operation)
b) First click position : date setting
c) Second click position : time setting

HOW TO USE

This watch is an automatic watch equipped with a manual winding mechanism.

- When the watch is worn on the wrist, the motion of the wearer's arm winds the mainspring of the watch.
- If your watch is completely stopped, it is recommended that you manually wind the mainspring by turning the crown.

How to manually wind the mainspring by turning the crown

1. Slowly turn the crown clockwise (in the 12 o'clock direction) to wind the mainspring.
2. Continue to turn the crown until the mainspring is sufficiently wound. The second hand will start moving.
3. Set the time and date before putting the watch on your wrist.

HOW TO SET THE TIME, DAY AND DATE (FOR CAL. 4R36)

- Check that the watch is operating, and then set the time, day and date.
- The watch is provided with a day and date function and is so designed that the day and date changes once every 24 hours. The date changes around 12 o'clock midnight, and the day around 4:00 a.m. If AM/PM is not properly set, the date will change around 12 o'clock noon, and the day around 4:00 p.m.

1. Pull out the crown to the first click. (The second hand continues moving and the accuracy of the watch is unimpaired.)
2. The day can be set by turning the crown clockwise.
3. The date can be set by turning the crown counterclockwise. Turn it until the previous day's date appears.
   Ex.) If today is the 5th of the month, first set the date to "4" by turning the crown counterclockwise.
4. Pull out the crown to the second click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.) Turn the crown to advance the hands until the date changes to the next. The time is now set for the a.m. period. Advance the hands to set the correct time.
5. Push the crown back in to the normal position in accordance with a time signal.

HOW TO SET THE TIME (FOR CAL. 4R38 AND CAL. 4R39)

1. Pull out the crown to the first click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.)
2. Turn the crown to set the hour and minute hands to the correct time.
3. Push the crown back in to the normal position in accordance with a time signal.

- Cal. 4R39 has a 24-hour hand, which moves correspondingly with the hour hand. When setting the time, check that the 24-hour hand is correctly set.

ACCURACY OF MECHANICAL WATCHES

- The accuracy of mechanical watches is indicated by the daily rates of one week or so. (Around 25 seconds per day +/-)
- The accuracy of mechanical watches may not fall within the specified range of time accuracy because of loss/gain changes due to the conditions of use, such as the length of time during which the watch is worn on the wrist, arm movement, whether the mainspring is wound up fully or not, etc.
- The key components in mechanical watches are made of metals which expand or contract depending on temperatures due to metal properties. This exerts an effect on the accuracy of the watches. Mechanical watches tend to lose time at high temperatures while they tend to gain time at low temperatures.
- In order to improve accuracy, it is important to regularly supply energy to the balance that controls the speed of the gears. The driving force of the mainspring that powers mechanical watches varies between when it is fully wound and immediately before it is unwound. As the mainspring unwinds, the force weakens.
  Relatively steady accuracy can be obtained by wearing the watch on the wrist frequently for the self-winding type and winding up the mainspring fully everyday at a fixed time to move it regularly for the wind-up mechanical type.
- When affected by external strong magnetism, a mechanical watch may loss/gain time temporarily. The parts of the watch may become magnetized depending on the extent of the effect. In such a case, consult the retailer from whom the watch was purchased since the watch requires repair, including demagnetizing.

KINETIC (5M54/62/84)

- Hour, minute and second hands.
- Calendar (Date).
- Day indicator (*5M54*).
- Automatic Power Generator.
- Energy Depletion Forewarning.
- Overcharge Prevention Function.
- 6 Month Power Storage.



[CAL. 5M62]



[CAL. 5M54]

HOW TO START THE WATCH

When using the watch for the first time be sure to charge the Rechargeable Battery sufficiently by swinging the watch from side to side before setting the time and other functions.

1. Swing the watch side to side at a rate of twice per second.
2. After the watch is swung for approx. 2 to 3 minutes, and the second hand begins to move in one-second intervals there is about six hours of power available. It is not necessary to charge the rechargeable battery fully before you wear the watch. While the watch is on your arm, the Automatic Power Generator will ensure constant operation.

Notes: 1. To charge the rechargeable battery efficiently, swing the watch from side to side, making and arc of about 20cm. 2. No additional benefit is obtained by swinging the watch more quickly or with greater vigor. 3. When the watch is swung, the oscillating weight in the generating system rotates to drive the mechanism. As it rotates, it creates a sound: this is not a malfunction.

HOW TO SET TIME

The Seiko Kinetic series of watches are basic analogue and can be set the same as any 2 or 3 hand watch.

1. Pull out the crown to the second click.
2. Turn the crown to set hour and minute hands.
3. Push crown back to normal position.

Notes: 1. When setting the hour hand, check that AM/PM is correctly set. The watch is so designed that the calendar/day changes once in 24 hours. Turn the hands past the 12 o'clock marker to determine whether the watch is set for the AM or PM period. If the calendar/day changes, the time is set for the AM period. If the calendar/day does not change, the time is set for the PM period. 2. When setting the minute hand, advance it 4 to 5 minutes ahead of the desired time and then turn it back to the exact time.

POWER RESERVE INDICATOR

By pressing Button A once when the second hand is in 12 position the watch can indicate how much power is stored in the rechargeable battery.

If the second hand advances to the;

1 position the watch has between approximately 1 and 7 days.

2 position the watch has between 7 days and 1 month.

4 position the watch has between 1 and 4 months.

6 position the watch has between 4 and 6 months.

KINETIC GMT (5M85)

- Hour, minute, second, 24-hour hand.
- Calendar (Date).
- Automatic Power Generator.
- Energy Depletion Forewarning.
- Overcharge Prevention Function.
- 6 Month Power Storage.



a) Normal position
b) First click position: hour-hand independent adjustment, date setting
c) Second click position: time setting

HOW TO START THE WATCH

1. Swing the watch from side to side.
   * Swing rhythmically at a rate of twice a second.
2. Charge the KINETIC E.S.U. sufficiently.
3. Set the time/calendar and put on the watch.

POWER RESERVE INDICATOR

1. Press the button at the 2 o'clock position.

To allow easy reading of the second hand, press the button when the second hand is at the 12 o'clock position.

★ QUICK MOVEMENT OF SECOND HAND	5 seconds	10 seconds	20 seconds	30 seconds
POWER RESERVE	Between 1 and 7 days	Between 7 days and 1 month	Approx. 1 month	Approx. between 4 and 6 months

★ *The second hand will resume normal movement after the indicated 5, 10, 20 or 30 seconds have elapsed.*

HOW TO SET TIME

When setting the time, ensure that the watch is working: the second hand is moving at one-second intervals.

- In a case that the watch is completely stopped due to a shortage of stored electrical energy, recharge the watch until the second hand resumes the normal one-second interval movement, and then reset the time and calendar.
- The 24-hour hand can be used in two ways. Since the time setting procedure differs according to the usage, please choose the method before setting the time.

Method 1

Simply using the 24-hour hand to show the 24-hour time as an AM/PM indicator.

- This is the standard usage for the 24-hour hand.

Method 2

Using the 24-hour hand to indicate the time in a different time zone.

- For instance, by setting the 24-hour hand to GMT while setting the hour and minute hands to indicate the time in your area, you can easily check GMT with the 24-hour hand at any time.

HOW TO SET THE 24-HOUR HAND AS A REGULAR 24-HOUR INDICATOR

<When method 1 usage is selected>

1. Pull out the crown to the second click.
2. Turn the crown to set the 24-hour and minute hands to the current time.
3. Push the crown back in simultaneously with a time signal.
4. Pull out the crown to the first click.
5. Turn the crown to set the hour hand to the current hour.
6. Push the crown back in upon completion of time setting.

HOW TO SET THE 24-HOUR HAND AS A REGULAR 24-HOUR INDICATOR

<When method 2 usage is selected>

1. Pull out the crown to the second click.
2. Turn the crown to set the 24-hour and minute hands to the time in the "different time zone area" you wish to set.
3. Push the crown back in simultaneously with a time signal.
4. Pull out the crown to the first click.
5. Turn the crown to set the hour hand to the current hour.
6. Push the crown back in upon completion of time setting.

HOW TO SET THE DATE

- This watch is designed so that the date changes one day by turning the hour hand two full rotations in the same way as in "the time difference adjustment function."
- The date advances one day by turning the hour hand two full rotations clockwise, while the date is set back one day by turning the hour hand two full rotations counterclockwise.
- After setting the time, it is necessary to set the date. Manual date adjustment is required on the first day after a month that has less than 31 days.

1. Pull out the crown to the first click.
2. Each time the hour hand makes two full rotations by turning the crown, the date is adjusted one day.
3. After completing the date setting, check the position of the hour hand once again and push the crown back in.

HOW TO ADJUST THE TIME DIFFERENCE

- While staying in a place in a different time zone area from where you live, you can conveniently set the watch to indicate the local time in the place where you are staying without stopping the watch.
- The time difference adjustment function is interrelated with the date display. If the time difference is correctly adjusted, the watch displays the correct date of the place where you are staying.

1. Pull out the crown to the first click.
2. Turn the crown to set the hour hand to indicate the time of the place where you are staying. The hour hand is independently set to the current hour.
3. After completing the time difference adjustment, check the position of the hour hand once again and push the crown back in.

CHRONOGRAPH (6T63)

- Hour, Minute, seconds hand
- 24 hour hand
- Calendar
- Stopwatch measures 60 minutes in 1/5th of a second increments.



HOW TO START THE WATCH

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

AUTOMATIC ANALOGUE (7S26/7S36)

- Hour, Minute, Seconds (24 hour hand for 4R39)
- Calendar, Day Of the Week (4R36)
- Powered by movement or winding the crown

4R16/4R36/7S26/7S36



4R15/4R35/7S35



a: Screwed-in position b: Normal position c: First click d: Second click

HOW TO START THE WATCH

To initially start your watch:

Swing it from side to side in a horizontal arc for about 30 seconds. This is an automatic mechanical watch.

** If the watch is worn on the wrist, the mainspring will be wound automatically through normal wrist movement.*

** If the watch is used without being wound up sufficiently, gain or loss of the watch may result. To avoid this, wear the watch for more than 8 hours a day.*

HOW TO SET THE TIME, DAY AND DATE

- Check that the watch is operating, and then set the time, day and date.
- The watch is provided with a day and date function and is so designed that the day and date changes once every 24 hours. The date changes around 12 o'clock midnight, and the day around 4:00 a.m. If AM/PM is not properly set, the date will change around 12 o'clock noon, and the day around 4:00 p.m.

1. Pull out the crown to the first click. (The second hand continues moving and the accuracy of the watch is unimpaired.)
2. The day can be set by turning the crown clockwise.
3. The date can be set by turning the crown counterclockwise. Turn it until the previous day's date appears.
   Ex.) If today is the 5th of the month, first set the date to "4" by turning the crown counterclockwise.
4. Pull out the crown to the second click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.)
   Turn the crown to advance the hands until the date changes to the next. The time is now set for the a.m. period. Advance the hands to set the correct time.
5. Push the crown back in to the normal position in accordance with a time signal.

ACCURACY OF MECHANICAL WATCHES

- The accuracy of mechanical watches is indicated by the daily rates of one week or so. (Around 25 seconds per day +/-)
- The accuracy of mechanical watches may not fall within the specified range of time accuracy because of loss/gain changes due to the conditions of use, such as the length of time during which the watch is worn on the wrist, arm movement, whether the mainspring is wound up fully or not, etc.
- The key components in mechanical watches are made of metals which expand or contract depending on temperatures due to metal properties. This exerts an effect on the accuracy of the watches. Mechanical watches tend to lose time at high temperatures while they tend to gain time at low temperatures.
- In order to improve accuracy, it is important to regularly supply energy to the balance that controls the speed of the gears. The driving force of the mainspring that powers mechanical watches varies between when it is fully wound and immediately before it is unwound. As the mainspring unwinds, the force weakens.
  Relatively steady accuracy can be obtained by wearing the watch on the wrist frequently for the self-winding type and winding up the mainspring fully everyday at a fixed time to move it regularly for the wind-up mechanical type.
- When affected by external strong magnetism, a mechanical watch may loss/gain time temporarily. The parts of the watch may become magnetized depending on the extent of the effect. In such a case, consult the retailer from whom the watch was purchased since the watch requires repair, including demagnetizing.

CHRONOGRAPH (7T04)

- Hour, minute and small second hands.
- Calendar (Date).
- Stopwatch minute, and 1/5th second hands.
- Stopwatch measures up to 60 minutes in 1/5th of a second increments.
- 24 hour hand



HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

CHRONOGRAPH (7T12)

- Hour, minute, seconds hand
- 24 hour hand
- Calendar
- Stopwatch measures 60 minutes in 1/5th of a second increments



HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

ALARM CHRONOGRAPH (7T62)

- Hour, minute and small second hands.
- Calendar (Date).
- Stopwatch minute and 1/5th second hands.
- Stopwatch measures up to 60 minutes in 1/5th of a second increments.
- Alarm can be set on a 12 hour basis, or, can be used as a second time zone.



HOW TO SET TIME AND DATE

1. Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
2. Turn crown counter clockwise until the previous day's date appears.
3. Pull crown out to second click position.
4. Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
5. Set hour and minute hands to desired time. Ensure you consider AM/PM period.
6. Push crown back in completely. (Ensure you screw crown back in if fitted with this feature.)

HOW TO SET ALARM TIME

1. Pull the crown out to the second click position.
2. Press 'B' to set the alarm hour and minute hands to the correct time.
3. Push the crown back to the normal position. Once the time is set, you do not have to adjust again unless there is a change in time (e.g. daylight savings).
4. For a dual time zone adjust hands on any desired time.

HOW TO SET ALARM

1. Pull the crown to the first click position.
2. Press button 'B' to set the alarm hour and minute hands to desired alarm time.
3. Push the crown back to the normal position.

Note: Alarm setting on a 12 hour basis only. Alarm will ring at the designated time for 20 seconds; one time only alarm. The alarm needs to be reset in order to re-engage the alarm function.

HOW TO USE STOPWATCH

The stopwatch can measure up to 60 minutes in 1/5th of a second increments.

Press Button 'A' to start, stop and restart the stopwatch.

- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.

* Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

HOW TO ADJUST HAND POSITION

1. If chronograph hands will not return the 12 o'clock position when the chronograph is reset or when the battery is replaced with a new one, follow the procedure below to reset the hands to the correct position.
2. Pull crown out to the second click.

- Press and hold button 'A'. The stopwatch minute hand will sweep around dial. Press button 'B' to adjust minute hand.
- Press and hold button 'A'. The stopwatch 1/5th of a second hand will sweep around dial. Press button 'B' to adjust 1/5th of a second hand.

3. Push crown back into normal position.

Note: Holding in button 'B' when adjusting the hand position, hands will move faster.

HOW TO USE ALARM DIAL AS DUAL TIME DISPLAY

1. Pull the crown out to the second click position.
2. Press the button "B" to set the hour and minute hands to time of a different time zone.
3. Push the crown back to normal position.

CHRONOGRAPH PERPETUAL (7T86)

- Time.
- Day/Date indicator.
- Month/Year check on demand.
- Stopwatch measures 24 hours in 1/5th of a second increments.
- Alarm – 24 hour.
- Perpetual Calendar automatically adjusts until Feb 2100.



HOW TO CHANGE MODE

Press Button B to change mode from 'Calendar/Alarm Mode' to 'Stopwatch Mode'.

HOW TO SET TIME AND ALARM DIAL TIME

1) Pull crown out to 2nd click when the small second hand is at the 60 second mark. The small second hand will stop immediately.
2) Turn the crown to set the main dial time.
3) Press button B to set the alarm sub-dial time in 24 hour format. E.g 6pm is 18:00.

HOW TO ADJUST PERPETUAL CALENDAR

1) Pull crown out to 1st Click.
2) Press button A for 5 seconds – the calendar hand will sweep around the dial.
3) Press B to set the date (hand will move quickly if kept pressed).
4) Press A once and the day indicator will point to CHR.
5) Press B to adjust the day of the week.
6) Press A and the calendar hand will point to the month.
7) Press B to adjust the month.
8) Press A and the calendar hand will point to the leap year indicators.
9) Press B to set the year (you must know the number of years elapsed since last leap year).
10) Press A to return to Date setting mode.
11) Press the crown back to the normal position.

HOW TO USE THE STOPWATCH

1) In the normal crown model Press B, and the Day/Mode hand will point to CHR.
2) Press Button A to start and stop the stopwatch.
3) Press Button B to reset the stopwatch.
4) To perform split/lap times Press button B while the stopwatch is running, then B to release the hands to continue with timing.

HOW TO USE THE ALARM

Ensure you have set the time of the alarm dial under the 'HOW TO SET TIME & ALARM DIAL'.

1) Pull crown out to first click.
2) Press Button B set desired alarm time (keeping button B pressed will make the hands move faster) This dial is a 24 hour dial, so 6pm is 18:00.
3) After desired time has been set press the crown back to the normal position.

Alarm will sound for 20 seconds at desired time. To turn off alarm press Button A or B. To cancel an alarm set, pull crown out to first click and then press crown back to normal position.

CHRONOGRAPH (7T92)

- Hour, minute and small second hands. Calendar (Date).
- Stopwatch hour, minute, second and 1/20th second hands.
- Stopwatch measures up to 12 hours in 1/20th of a second increments.



HOW TO SET TIME AND DATE

1. Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
2. Turn crown counter clockwise until the previous day's date appears.
3. Pull crown out to second click position.
4. Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
5. Set hour and minute hands to desired time. Ensure you consider AM/PM period.
6. Push crown back in completely. (Ensure you screw crown back in if fitted with this feature.)

HOW TO USE STOPWATCH

The stopwatch can measure up to 12 hours in 1/20th of a second increments.

- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.

* Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

CHRONOGRAPH (8T63)

- Hour, minute, seconds hand
- 24 hour hand
- Calendar
- Stopwatch measures 60 minutes in 1/5th of a second increments



HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

CHRONOGRAPH (8T67)

- Hour, minute and small second hands. Calendar (Date).
- Stopwatch hour, minute, second and 1/20th second hands.
- Stopwatch measures up to 12 hours in 1/20th of a second increments.



HOW TO SET TIME AND DATE

1. Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
2. Turn crown counter clockwise until the previous day's date appears.
3. Pull crown out to second click position.
4. Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
5. Set hour and minute hands to desired time. Ensure you consider AM/PM period.
6. Push crown back in completely. (Ensure you screw crown back in if fitted with this feature.)

HOW TO USE STOPWATCH

The stopwatch can measure up to 12 hours in 1/20th of a second increments.

- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.

* Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

SOLAR ALARM CHRONOGRAPH (V172)

- Time/calendar.
- 60-Minute stopwatch in 1/5-second increments with split time measurement function.
- Single-time alarm within 12 hours.
- Powered by light energy.
- No battery change required.
- Lasts for 6 months after full charge.
- Energy depletion forewarning function.
- Overcharging prevention function.



MAKING ADJUSTMENTS TO THE WATCH

This watch is designed so that the following adjustments are made with the crown at the second click position:

1. main time setting
2. alarm hand adjustment
3. stopwatch hand position adjustment

Once the crown is pulled out to the second click, be sure to check and adjust 1. and 2. at the same time. If needed, 3. should also be adjusted then.

HOW TO SET TIME

1. Pull out crown to the second click when the second hand is at the 12 o'clock position.
2. Turn the crown to set the hour and minute hands.

HOW TO ADJUST THE ALARM HANDS

1. Press 'B' repeatedly to set the ALARM hands to the time indicated by the main time hands.

HOW TO ADJUST STOPWATCH HAND POSITION

If the STOPWATCH hands are not in the "0" position, follow the procedure below to set them to the "0" position.

1. Press 'A' for 2 seconds.
2. Press 'B' repeatedly to set the STOPWATCH minute hand to the "0" position.
3. Press 'A' for 2 seconds.
4. Press 'B' repeatedly to set the STOPWATCH 1/5-second hand to the "0" position.

HOW TO SET DATE

Before setting the date, be sure to set the main time.

1. Pull the crown out to the first click.
2. Turn the crown clockwise until the desired date appears.
3. Push the crown back into the normal position.

HOW TO USE STOPWATCH

The stopwatch can measure up to 60 minutes in 1/5-second increments. When the measurement reaches 60 minutes, the stopwatch automatically stops.

Split time measurement is available.

Before using the stopwatch, be sure to check that the crown is set at the normal position and that the STOPWATCH hands are reset to the "0" position.

HOW TO RESET STOPWATCH

While the stopwatch hands are moving:

1. Press Button 'A' to stop the stopwatch.
2. Press Button 'B' to reset the stopwatch.

When the stopwatch is stopped:

1. Press Button 'B' to reset the stopwatch.

When the split time measurement is displayed while the stopwatch is measuring:

1. Press Button 'B' to release the split time display. The stopwatch hands move quickly, and then indicate the measurement in progress.
2. Press Button 'A' to stop the stopwatch.
3. Press Button 'B' to reset the stopwatch.

When the split time measurement is displayed and the stopwatch is stopped:

1. Press Button 'B' to release the split time display. The stopwatch hands move quickly, and then stop.
2. Press Button 'B' to reset the stopwatch.

HOW TO SET ALARM

The alarm can be set to ring only once at a designated time within the coming 12 hours.

- The alarm time can be set in one minute increments.
- You can preview the alarm sound by using the sound demonstration function.

Before using the alarm, check that the ALARM hands are adjusted to the current time.

1. Pull the crown out to the first click.
2. Press 'B' repeatedly to set the desired alarm time.
3. Push the crown back into the normal position.

At the designated time the alarm rings for 20 seconds, and it is automatically disengaged as it stops. To stop it manually, press Button A or B.

HOW TO CHARGE AND START THE WATCH

When you start the watch or when the energy in the rechargeable battery is reduced to an extremely low level, charge it sufficiently by exposing the watch to light.

1. Expose the watch to sunlight or strong artificial light.
2. Keep the watch exposed to the light until the second hand moves at 1-second intervals.
3. When the watch is charged after it has completely stopped, set the date and time before wearing the watch.

GUIDELINE OF CHARGING TIME/ACCURACY

Environment/Lightsource (lux)	V172		
	A (minutes)	**B** (hours)	**C** (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

A: Time to charge 1 day of power
B: Time required for steady operation
C: Time required for full charge

The above table provides only a general guideline.

SOLAR CHRONOGRAPH (V175)

- Time/calendar
- 60-Minute stopwatch in 1/5-second increments with split time
- Measurement function
- Powered by light energy
- No battery change required
- Lasts for 6 months after full charge
- Energy depletion forewarning function
- Overcharging prevention function



HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

Environment/Lightsource (lux)	V175		
	A (minutes)	**B** (hours)	**C** (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

A: Time to charge 1 day of power
B: Time required for steady operation
C: Time required for full charge

❖ The above table provides only a general guideline.

GUIDELINE OF CHARGING TIME/ACCURACY

The watch operates while charging electricity by converting light received on the dial to electrical energy. It cannot properly operate unless the remaining energy is sufficient. Place or store the watch in a location receiving light etc., to sufficiently charge electricity.

- When the watch is stopped or the second hand starts moving at 2-second intervals, charge the watch by exposing it to light.
- The time required for charging the watch varies depending on the calibres. Check the calibre of your watch engraved on the back cover.
- It is recommended that the watch be charged for as long as the charging time "B" to assure the stable movement of the watch.

ENERGY DEPLETION FOREWARNING FUNCTION

- When the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. The watch remains accurate even while the second hand is moving at 2-second intervals.
- While the second hand is moving at 2-second intervals, the stopwatch cannot be activated.
- If the second hand starts to move at 2-second intervals while the stopwatch is operating, the stopwatch will be automatically stopped and the stopwatch hands will return to the "0" position.
- When this occurs, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in a few days.

TO PREVENT THE ENERGY DEPLETION

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

NOTE ON POWER SUPPLY

- The battery used in this watch is a rechargeable battery, which is different from ordinary silver oxide batteries. Unlike other disposable batteries such as dry-cell batteries or button cells, this rechargeable battery can be used over and over again by repeating the cycles of discharging and recharging.
- The capacity or recharging ef f iciency of the rechargeable bat tery may gradually deteriorate for various reasons such as long-term use or usage conditions. Worn or contaminated mechanical parts or degraded oils may also shorten recharging cycles. If the efficiency of the rechargeable battery decreases, it will be necessary to have the watch repaired.

CAUTION

- Do not remove the rechargeable battery yourself. Replacement of the rechargeable battery requires professional knowledge and skill. Please ask a watch retailer for replacement of the rechargeable battery.
- Installation of an ordinary silver oxide battery can generate heat that can cause bursting and ignition.

SOLAR CHRONOGRAPH (V176)

- Time/calendar
- 60-Minute stopwatch in 1/20th second increments with split time
- Powered by light energy
- No battery change required
- Lasts for 6 months after full charge
- Energy depletion forewarning function
- Overcharging prevention function



HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/20th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

Environment/Lightsource (lux)	V176		
	A (minutes)	**B** (hours)	**C** (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

A: Time to charge 1 day of power
B: Time required for steady operation
C: Time required for full charge

❖ The above table provides only a general guideline.

GUIDELINE OF CHARGING TIME/ACCURACY

The watch operates while charging electricity by converting light received on the dial to electrical energy. It cannot properly operate unless the remaining energy is sufficient. Place or store the watch in a location receiving light etc., to sufficiently charge electricity.

- When the watch is stopped or the second hand starts moving at 2-second intervals, charge the watch by exposing it to light.
- The time required for charging the watch varies depending on the calibres. Check the calibre of your watch engraved on the back cover.
- It is recommended that the watch be charged for as long as the charging time "B" to assure the stable movement of the watch.

ENERGY DEPLETION FOREWARNING FUNCTION

- When the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. The watch remains accurate even while the second hand is moving at 2-second intervals.
- While the second hand is moving at 2-second intervals, the stopwatch cannot be activated.
- If the second hand starts to move at 2-second intervals while the stopwatch is operating, the stopwatch will be automatically stopped and the stopwatch hands will return to the "0" position.
- When this occurs, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in a few days.

TO PREVENT THE ENERGY DEPLETION

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

NOTE ON POWER SUPPLY

- The battery used in this watch is a rechargeable battery, which is different from ordinary silver oxide batteries. Unlike other disposable batteries such as dry-cell batteries or button cells, this rechargeable battery can be used over and over again by repeating the cycles of discharging and recharging.
- The capacity or recharging ef f iciency of the rechargeable bat tery may gradually deteriorate for various reasons such as long-term use or usage conditions. Worn or contaminated mechanical parts or degraded oils may also shorten recharging cycles. If the efficiency of the rechargeable battery decreases, it will be necessary to have the watch repaired.

CAUTION

- Do not remove the rechargeable battery yourself. Replacement of the rechargeable battery requires professional knowledge and skill. Please ask a watch retailer for replacement of the rechargeable battery.
- Installation of an ordinary silver oxide battery can generate heat that can cause bursting and ignition.

SOLAR CHRONOGRAPH (V192/V194)

- Time/calendar
- 60-Minute stopwatch in 1/5-second increments with split time
- Measurement function
- Powered by light energy
- No battery change required
- Lasts for 6 months after full charge
- Energy depletion forewarning function
- Overcharging prevention function



a. Normal position
b. First click position: date setting
c. Second click position: time setting, hand position adjustment

HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

When you reset the stopwatch the minute hand will return to indicate the power reserve.

GUIDELINE OF CHARGING TIME/ACCURACY

The watch operates while charging electricity by converting light received on the dial to electrical energy. It cannot properly operate unless the remaining energy is sufficient. Place or store the watch in a location receiving light etc., to sufficiently charge electricity.

- When the watch is stopped or the second hand starts moving at 2-second intervals, charge the watch by exposing it to light.
- The time required for charging the watch varies depending on the calibres. Check the calibre of your watch engraved on the back cover.
- It is recommended that the watch be charged for as long as the charging time "B" to assure the stable movement of the watch.

When the stopwatch is not operating the stopwatch minute hand will indicate the power reserve in the gradation next to the stopwatch minute dial.

ENERGY DEPLETION FOREWARNING FUNCTION

- When the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. The watch remains accurate even while the second hand is moving at 2-second intervals.
- While the second hand is moving at 2-second intervals, the stopwatch cannot be activated.
- If the second hand starts to move at 2-second intervals while the stopwatch is operating, the stopwatch will be automatically stopped and the stopwatch hands will return to the "0" position.
- When this occurs, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in a few days.

TO PREVENT THE ENERGY DEPLETION

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

NOTE ON POWER SUPPLY

- The battery used in this watch is a rechargeable battery, which is different from ordinary silver oxide batteries. Unlike other disposable batteries such as drycell batteries or button cells, this rechargeable battery can be used over and over again by repeating the cycles of discharging and recharging.
- The capacity or recharging eff ciency of the rechargeable bat tery may gradually deteriorate for various reasons such as long-term use or usage conditions. Worn or contaminated mechanical parts or degraded oils may also shorten recharging cycles. If the efficiency of the rechargeable battery decreases, it will be necessary to have the watch repaired.

CAUTION

- Do not remove the rechargeable battery yourself. Replacement of the rechargeable battery requires professional knowledge and skill. Please ask a watch retailer for replacement of the rechargeable battery.
- Installation of an ordinary silver oxide battery can generate heat that can cause bursting and ignition.

Environment/Lightsource (lux)	V192/V194		
	A (minutes)	**B** (hours)	**C** (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

A: Time to charge 1 day of power
B: Time required for steady operation
C: Time required for full charge

❖ The above table provides only a general guideline.

SOLAR WORLD TIME CHRONOGRAPH (V195)

- Solar – Powered by any light.
- Time
- Calendar
- Stopwatch measures 24 hours in 1/5th of a second increments with split time.
- Alarm - 24-hour with quick on/off function
- World Time – 25 cities pre-programmed.



HOW TO CHANGE MODE

When the watch is pointing at the 'POWER RESERVE INDICATOR' Press Button A to move to stopwatch mode. The stopwatch will start counting immediately.

When the watch is in 'STOPWATCH' mode, and the watch is not counting, Press Button B to return to 'POWER RESERVE INDICATOR' mode. If the stopwatch is counting, pressing Button B will operate the Split time instead of returning to 'POWER RESERVE INDICATOR' mode. Stopwatch operation is detailed below.

HOW TO SET TIME, DATE AND ALARM/WORLD TIME DIAL

1) Pull crown out to 1st click and turn the crown to adjust the date to the previous day. Pull the crown out to the 2nd click when the small second hand is at the 60 second mark. The small second hand will stop immediately.
2) Turn the crown to set the main hands dial time.
3) Press Button A so the large hand lines up with your current time zone. With each Press of Button A the second hand will move to the next city detailed on the bezel or inner ring.
4) Press button B to set the Alarm/World Time sub-dial time in 24 hour format to your current timezone. Eg. 6pm is 18:00.

HOW TO USE THE STOPWATCH

1) In the normal crown mode Press Button A, and the Stopwatch will start
2) Press Button A to stop the stopwatch.
3) Press Button B to reset the stopwatch.
4) To perform split/lap times Press button B while the stopwatch is running, then B to release the hands to continue with timing.

HOW TO USE THE ALARM

Ensure you have set the time of the alarm dial under the 'HOW TO SET TIME, DATE & ALARM/WORLD TIME DIAL'.

1) Pull crown out to first click. The top dial indicator will point to AL
2) Press B to set desired alarm time (keeping button pressed will make the hands move faster). This dial is a 24 hour dial, so 6pm is 18:00.
3) After desired time has been set Press Button A to turn the alarm on. The large hand will move to the 9 second mark to indicate the Alarm is ON. To turn the alarm off, Press Button A again and the large hand will move to the 51 second mark to indicate OFF. Push the crown back to the normal position.

Alarm will sound for 20 seconds at desired time every day until it is turned off. To silence the alarm press Button A or B while the alarm is sounding.

HOW TO USE WORLD TIME

The local time throughout the world can be displayed in the bottom dial.

How to select world timezones

1) Press and hold Button B for 3 seconds. The top dial indicator moves to WT. The large hand will move to the current city on the bezel or inner ring that the bottom dial is set on.
2) Press Button A to advance one city. Press Button B to decrease by one city detailed on the bezel or inner ring.
3) The hands in the bottom dial will automatically move to indicate the time of the city the large hand is pointing at.

Refer to the chart below for world timezones.

Each indication may differ depending on the model (design) of the watch.

Indication	City hand positions	Names of representative cities (Time Zone)	Time difference from GMT/UTC
LON	0-second position	London	±0 hours
PAR/ROM	3-second position	Paris/Rome	+1 hour
CAI	6-second position	Cairo	+2 hours
JED	8-second position	Jeddah	+3 hours
DXB	11-second position	Dubai	+4 hours
KHI	13-second position	Karachi	+5 hours
DAC	15-second position	Dhaka	+6 hours
BKK	18-second position	Bangkok	+7 hours
HKG/BJS	21-second position	Hong Kong/Beijing	+8 hours
TYO	23-second position	Tokyo	+9 hours
SYD	25-second position	Sydney	+10 hours
NOU	28-second position	Nouméa	+11 hours



(As of March 2016)

Indication	City hand positions	Names of representative cities (Time Zone)	Time difference from GMT/UTC
WLG	30-second position	Wellington	+12 hours
TBU	32-second position	Nuku'alofa	+13 hours
MDY	34-second position	Midway Islands	-11 hours
HNL	36-second position	Honolulu	-10 hours
ANC	38-second position	Anchorage	-9 hours
LAX	41-second position	Los Angeles	-8 hours
DEN	43-second position	Denver	-7 hours
CHI	45-second position	Chicago	-6 hours
NYC	48-second position	New York	-5 hours
SDQ	50-second position	Santo Domingo	-4 hours
RIO	53-second position	Rio de Janeiro	-3 hours
FEN	55-second position	Fernando de Noronha	-2 hours
PDL	57-second position	Azores	-1 hour



SOLAR CHRONOGRAPH PERPETUAL (V198)

- Solar – Powered by any light.
- Time.
- Day/Date indicator.
- Month/Year check on demand.
- Stopwatch measures 24 hours in 1/5th of a second increments.
- Alarm – 24 hour.
- Perpetual Calendar automatically adjusts until Feb 2100.



HOW TO CHANGE MODE

Press Button B to change mode from 'Calendar/Alarm Mode' to 'Stopwatch Mode'.

HOW TO SET TIME AND ALARM DIAL TIME

1) Pull crown out to 2nd click when the small second hand is at the 60 second mark. The small second hand will stop immediately.
2) Turn the crown to set the main dial time.
3) Press button B to set the alarm sub-dial time in 24 hour format. E.g 6pm is 18:00.

HOW TO ADJUST PERPETUAL CALENDAR

1) Pull crown out to 2nd Click.
2) Press button A and the day of week hand will sweep around the dial.
3) Press B to set the day of week.
4) Press A once and the day indicator will point to date.
5) Press B to adjust the date.
6) Press A and the calendar hand will point to the month.
7) Press B to adjust the month.
8) Press A and the calendar hand will point to the leap year indicators.
9) Press B to set the year (you must know the number of years elapsed since last leap year).
10) Press A to return to Date setting mode.
11) Press the crown back to the normal position.

HOW TO USE THE STOPWATCH

1) In the normal crown mode Press B, and the Day/Mode hand will point to CHR.
2) Press Button A to start and stop the stopwatch.
3) Press Button B to reset the stopwatch.
4) To perform split/lap times Press button B while the stopwatch is running, then B to release the hands to continue with timing.

HOW TO USE THE ALARM

Ensure you have set the time of the alarm dial under the 'HOW TO SET TIME & ALARM DIAL'.

1) Pull crown out to first click.
2) Press A to advance or B to decrease to desired alarm time (keeping button pressed will make the hands move faster). This dial is a 24 hour dial, so 6pm is 18:00.
3) After desired time has been set press the crown back to the normal position.

Alarm will sound for 20 seconds at desired time. To turn off alarm press Button A or B. To cancel an alarm set, pull crown out to first click and then press crown back to normal position.

SOLAR ANALOGUE

- Powered by light energy.
- No battery change required.
- Lasts for 2 to 12 months after full charge (depends on the calibre).
- Energy depletion forewarning function (for cal. V111, V117, V145, V147, V157, V158, V181, V182, V187 only).
- Instant-start function (for cal. V145, V147, V157, V158, V181, V182, V187 only).
- Overcharging prevention function.



HOW TO CHARGE AND START THE WATCH

When you start the watch or when the energy in the rechargeable battery is reduced to an extremely low level, charge it sufficiently by exposing the watch to light.

1. Expose the watch to sunlight or strong artificial light.
2. Keep the watch exposed to the light until the second hand moves at 1-second intervals.
3. When the watch is charged after it has completely stopped, set the date and time before wearing the watch.

HOW TO SET TIME AND DATE

Models with two/three hands:

1. Pull out the crown to the first click.
2. Turn the crown to set the desired time.
3. Push back the crown completely (in accordance with a time signal for a three-hand model.)

Models with date:

1. Pull out the crown to the first click and set the previous date.
2. Pull out the crown to the second click when the second hand is at the 12 o'clock position.
3. Turn the crown until the desired date appears.
4. Turn the crown to set the hour and minute hands to the desired time.
5. Push back the crown completely in accordance with a time signal.

Models with day and date:

1. Pull out the crown to the first click and set the previous day and date.
2. Pull out the crown to the second click when the second hand is at the 12 o'clock position.
3. Turn the crown until the desired day and date appears.
4. Turn the crown to set the hour and minute hands to the desired time.
5. Push back the crown completely in accordance with a time signal.

GUIDELINE OF CHARGING TIME/ACCURACY

Environment/Lightsource (lux)	V110			V111/V117		
	A (minutes)	**B** (hours)	**C** (hours)	**A** (minutes)	**B** (hours)	**C** (hours)
General offices/ Fluorescent light (700)	50	16	140	180	60	-
30W20cm/ Fluorescent light (3000)	11	3.5	30	35	10	180
Cloudy weather/Sunlight (10000)	3	0.9	8	12	4	60
Fair weather/Sunlight (100000)	1	0.3	2	2	0.5	10
Expected life per charge from full charge to stoppage	5 months			6 months		
Loss/gain (monthly rate)	Less than 20 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)			Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-5 °C to 50 °C			-10 °C to 60 °C		

V114/V115/V116			V147/V157/V158			V187		
A (minutes)	**B** (hours)	**C** (hours)	**A** (minutes)	**B** (hours)	**C** (hours)	**A** (minutes)	**B** (hours)	**C** (hours)
180	60	-	110	25	-	95	8	100
35	10	180	30	6	120	23	1.6	25
12	4	60	10	2	35	6	0.4	7
2	0.5	10	2	0.4	9	3	0.1	3
12 months			10 months			2 months		
Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)								
-10 °C to 60 °C								

V145			V181/V182		
A (minutes)	**B** (hours)	**C** (hours)	**A** (minutes)	**B** (hours)	**C** (hours)
50	11	175	75	6	82
10	2	40	18	1.3	20
3	0.5	10	5	0.3	5
1	0.1	3	2	0.1	2.1
6 months			2 months		
Less than 20 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)					
-5 °C to 50 °C					

A: Time to charge 1 day of power
B: Time required for steady operation
C: Time required for full charge

The above table provides only a general guideline.

ENERGY DEPLETION FOREWARNING FUNCTION

- If your watch has a second hand, when the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. (Some calibres have no such function.) The watch remains accurate even while the second hand is moving at 2-second intervals.
- In that case, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in about 3 days. (For recharging the watch, see "HOW TO CHARGE AND START THE WATCH")

To prevent the energy depletion:

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

SERVICE NETWORK FOR WARRANTY REPAIRS

New Zealand

Service Agent for Seiko, Pulsar, Lorus

SEIKO Australia Pty Ltd

226A Bush Road, Albany,

Auckland NZ 0632

PO Box 100037, North Shore,

New Zealand 0745

Phone: +(649) 415 5668

Fax: +(649) 415 5662

Email: admin@watchworld.co.nz

3 YEAR GUARANTEE

All SEIKO watches and clocks are covered by a 3 year guarantee. The guarantee covers defects in the material and workmanship from the date of purchase. As a SEIKO authorised dealer it is your responsibility to correctly fill in the guarantee with all the information required. The diagram on the right shows where to find the relevant information on the watch caseback.



In the case of incorrectly used guarantees, return them to SEIKO Australia or hand them to your SEIKO Australia Representative for free replacement, otherwise a charge for new guarantees will be applicable.

GLOBAL SERVICE NETWORK

SEIKO's dedication to quality extends throughout its service network in all corners of the world, extending the same dedication to excellence and the highest quality service to SEIKO customers everywhere.

For over 100 years SEIKO has stood for quality – in manufacture, design and service. Today, our SEIKO service centres strive to offer the highest standard of after-sales service and ensure lasting consumer satisfaction. In the Oceania Region, SEIKO Australia Pty Ltd has a network of branch offices, service centres and authorised service agents throughout Australia, New Zealand, Papua New Guinea, and the Pacific Islands.

For service, repairs and spare parts enquiries, please phone 0800 734 561 or email service@seiko.com.au

SERVICE

Replacement guarantee costs:

- Seiko, Pulsar & Lorus = $5.50
- Astron & Grand Seiko = $25.00
- Guarantee Exchange (One for one)
  - for incorrectly completed and/or damaged guarantees are replaced at no cost if returned

All brands replacement policies: (Varied based on situation)

- Under warranty Lorus – replaced or credited
- Manufacturing fault – not wear and tear

Seiko Quote Policy for repairs	**TRADE**	**RETAIL**
• Seiko & Michel Herbelin	$45.00	$76.00
• Pulsar	$40.00	$69.00
• Lorus	$31.00	$53.00

Quote not proceeded with will incur an administration fee of $18.00 (Including GST) + Postage & handling of $9.00

Warranty Claims:

- **SERVICE WARRANTY CLAIM:** an **original valid guarantee** (completed with the correct calibre case, serial number and purchase date) or purchase receipt must be supplied **(NO PHOTOCOPIED WARRANTIES)**.
- **STOCK:** repairs to be accepted as stock must state "stock" on the paperwork and be in **ORIGINAL CONDITION – NOT WORN BY CUSTOMER**.

SERVICE & SPARE PARTS

Direct: 09 415 5668 Option 2

Email: nz-service@seiko.com.au

SALES DESK

Small Order Charge:

- For orders supplied in full that the value less than $6.74 exc. GST

Sales Orders & Enquiries:

Toll Free: 0800 734 561

Email: nzsales@seiko.co.nz

Damaged Stock Received:

Needs to be returned to Seiko head office within 14 days of invoice.

SEIKO

CORPORATE GIFTS

Specialised timepieces are the perfect corporate gift for service awards, incentive and reward programs, product launches, corporate gifts, safety awards, promotions and many other corporate occasions.

Customisations Options:

- Dial printing of company logo up to 5 colours
- Engraving logos and or text message on the case back or clasp

All watches are supplied in presentation boxes with full Seiko warranty

Minimum orders 1 unit

For more information contact the Corporate Sales Department:

Ph: +61 2 9805 4614

Email: corporate@seiko.com.au

SPORTS TIMING & SPECIALTY CLOCKS

The world over, people have come to rely on the expert time keeping of SEIKO. Whether this be a major sporting event like the IAAF Championships which SEIKO have timed since 1987, or a Landmark clock, such as the Waco Department store in Japan, SEIKO has a timing solution for any need.

The extensive range of Sports Timing Equipment, and Landmark Clocks are now available in Australia.

Both catalogues can be found on our website
http://www.seiko.com.au/pr-media/sports-timing

For more information or a quote email
specialisttiming@seiko.com.au

SEIKO

Sales orders & enquiries:
nzsales@seiko.co.nz

For sales enquiries within New Zealand
please phone 0800 734 561.

NEW ZEALAND
226A Bush Road
Albany
New Zealand 0632
PO Box 100037
North Shore Mail Centre
Auckland 0745
Ph: +64 (9) 415 5668
Fax: +64 (9) 415 5661